1.9
P69P
Cop.2

THE PLANT DISEASE REPORTER

LIBRARY
CURRENT SERIAL RECORD
MAY 27 1946
U.S. DEPARTMENT OF AGRICULTURE

Issued By

THE PLANT DISEASE SURVEY

Division of Mycology and Disease Survey
BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING
AGRICULTURAL RESEARCH ADMINISTRATION
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 151

INDEX TO SUPPLEMENTS 145-150, 1944

Supplement 151 Issued May 15, 1946

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

PLANT DISEASE REPORTER SUPPLEMENT

Issued by

THE PLANT DISEASE SURVEY
DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station Beltsville, Maryland

INDEX TO PLANT DISEASE REPORTER SUPPLEMENTS 145-150, 1944

Plant Disease Reporter Supplement 151 Index to Supplements 1944

LIST OF SUPPLEMENTS

Supplement 145. Studies on vegetable seed treatments in 1943. pp. 1-97. March 15, 1944.
Contains seventeen reports by various authors; see author index

Supplement 146. Methods of appraising intensity and destructiveness of cereal rusts with particular reference to Russian work on wheat leaf rust. pp. 99-121. April 1, 1944. By K. Starr Chester.

Supplement 147. Plant disease surveys in the Northeastern United States in 1943. pp. 125-229. June 1, 1944.
Reports by members of the Emergency Plant Disease Prevention Project; often assisted by various collaborators who should be given credit for their individual contributions

Supplement 148. Plant disease surveys in the Southeastern United States in 1943. pp. 233-302. June 15, 1944
Reports by members of the Emergency Plant Disease Prevention Project. See note under Supplement 147

Supplement 149. Plant disease surveys in the Western United States in 1943. pp. 305-407. July 1, 1944
Reports by members of the Emergency Plant Disease Prevention Project. See note under Supplement 147

Supplement 150. Viruses described primarily on ornamental or miscellaneous plants. pp. 410-482. July 15, 1944. By Philip Brierley

Supplement 151. INDEX to Supplements 145 to 150. pp. 483-530
(Issued May 15, 1946)

AUTHOR INDEX

ATKINSON, R. E. 254

BAINES, R. C. 169, 185
BARNETT, HORACE L. 369
BLODGETT, EARLE C. 400
BODINE, E. W. 342, 344
BOYLE, LYTTON W. 386, 396
BRETZ, T. W. 217, 293
BRIERLEY, PHILIP 410

CASSELL, ROBERT C. 126
CHESTER, K. STARR 99
CLAYTON, C. N. 46
CROSIER, WILLARD 92

DOOLITTLE, S. P. 36, 58

HAENSELER, C. M. 7
HARE, W. W. . . . . (19), (56)
HARRIS, HUBERT A. 338
HARRIS, M. R. 165, 196
HONEY, EDWIN E. 199
HOYMAN, WM. G. 351
HYRE, R. A. 245, 249

JOHNSON, E. M. . . . . (247)

KOEHLER, BENJAMIN 76

LARSH, HOWARD W. 284, 317
LEACH, L. D. 31
LOCKE, SETH BARTON . 354, 367, 383

Mc NEW, GEORGE L. 2, 11, 80

NEWHALL, A. G. 39
NUSBAUM, C. J. 60

PADY, STUART M. 311, 313
PERSON, L. H. 280
PORTER, R. H. 22, (92)
PORTER, RICHARD P. 26

RHOADS, ARTHUR S. 262

SEAL, J. L. . . . . (276)
SEMENIUK, GEORGE 63
STONE, G. M. 259, 276

TAYLOR, CARLTON F. 233, 239
TERVET, IAN W. 210, 305, 308
TYLER, LEON J. 144, 152

VALLEAU, W. D. 247
VAUGHAN, R. E. . . . . (199)

WALKER, E. A. 157
WALKER, J. C. 19, 56
WATKINS, G. M. 326

SUBJECT INDEX

Abelia: chlorosis (non-par.) 337
Abutilon variegation virus, description etc., 412
Acanthaceae: aster yellows virus, 419
Acer: Cytospora chrysosperma 350; Pleurotus ulmarius 350; Rhytisma acerinum 270, 382; Rhytisma punctatum 382
Aceraceae; maple-variegation virus description etc. 414
Actinomyces, 352
--- ipomoeae, 159, 173, 187, 234, 281, 329
(Actinomyces) scabies, 47, 54, 128, 135, 154, 161, 166, 172, 176, 189, 197, 199, 201, 211, 220, 228, 240, 278, 281, 297, 305, 309, 331, 339, 342, 346, 359, 369, 375, 389, 393, 398.
Aesculus: Guignardia aesculi, 143, 270; horsechestnut variegation virus description etc. 415
Agrimonia: Pucciniastrum agrimoniae 208
Agrobacterium savastanoi, 379
--- tumefaciens, 150, 157, 169, 195, 205, 206, 209, 227, 228,

(Agrobacterium tumefaciens) 335, 348, 349, 351, 353, 354, 377, 383, 403
Agropyron: Claviceps purpurea 202, 212, 309; Erysiphe graminis 202; Phyllachora graminis 202; Puccinia graminis 202, 309; Puccinia rubigo-vera 309
Agrostis: Claviceps microcephala 399; Corticium fuciforme 139; Puccinia rubigo-vera 202; Sclerotinia homoeocarpa 139; Scolecotrichum graminis 202
Aizoaceae: aster yellows virus 419
Albugo bliti, 208
--- candida, 161, 375, 384, 397
--- ipomoeae-panduranae, 238, 263, 270
--- occidentalis, 332
--- platensis, 270
--- tragopogonis, 343, 347, 376
Aleurites fordii: Clitocybe root rot 266; thread blight, and control 266; web blight 282
Alfalfa: anthracnose 353; bacterial wilt 148, 155, 168, 178, 198, 203, 222, 343, 347, 353, 354, 355, 361, 367, 368, 377, as limiting factor 354, 367; black stem 148, 155, 340, 353; boron deficiency yellowing 140; Cercospora 190, 222; crown rot (Stagonospora) 298, (Urophlyctis) 377; dodder 353, 361, 367; downy mildew 223, 343, 347, 353, 361, 368; dwarf (virus) 377; Fusarium wilt 353, 377; girdle 333, 353; leaf spot, common (Pseudopeziza) 140, 148, 155, 162, 168, 178, 190, 198, 203, 223, 287, 298, 307, 310, 320, 333, 340, 343, 347, 353, 362, 368, 377; mosaic (virus) 347, 353, 362; Phymatotrichum 333, 353, 377; Pleospora 281; Pseudoplea 148, 203; root canker (Rhizoctonia) 353, 377; rust 203, 223, 281, 287, 320, 333, 353, 377; Stagonospora 148, 377; stem nematode 376; Stemphylium 148; Urophlyctis 377; violet root rot 298;
(Alfalfa) yellow leaf blotch (Pyrenopeziza) 162, 190, 203, 223, 298, 333, 340, 362; white spot (non-par.) 353; winter injury 203, 340; witches' broom(virus) 353; yellows (leafhopper) 203
Almond: Armillaria root rot 377; bacterial canker 377; burn (? high temperatures) 377; blackheart (Verticillium) 377; brown rot blossom blight 377; Coryneum blight 363, 377; crowngall 377; green rot 377; jacket rot 377; little leaf (zinc deficiency) 378; peach mosaic (inoculation) 348; peach mosaic, apricot strain, 377; Phytophthora canker 377; ring spot (virus) 377; rust 377; scab 377; yellows (peach virus) 242
Alternaria sp.(p.), on apple (core mold) 205; broccoli 152; cabbage 152, 158; castor bean 337; cauliflower 371; cotton 280, 293, 325, 354; lima bean 154; peanut 259; pepper (fruit rot, fruit spot) 152, 285, 318, 342, 345, 372; soybean 235; spinach 320; squash (fruit rot) 131; turnip 372; wheat (black point) 214
--- atrans, 148 (?), 155
--- brassicae, 158, 161, 210, 384, 385, 390, 391
--- carotae, 132, 146, 153, 166, 173, 187, 197, 234, 239, 328, 352, 373
--- catalpae, 143
--- cichorii, 263
--- circinans, 128, 129, 152, 200, 218, 233, 259, 276, 280, 327, 390
--- citri, 335, 379
--- cucumerina, 129, 131, 153, 159, 166, 173, 197, 200, 218, 281, 285, 318, 328, 345, 352
--- dianthi, 350
--- gossypina, 237
--- porri, 326, 344
--- solani, on eggplant 135, 147, 154; pepper 158, 327;

(Alternaria solani) see also early blight under potato and tomato
--- tenuis, 257
--- tomato, 146, 329
Althaea rosea: Puccinia malvacearum 208, 350
Amaranthaceae: aster yellows virus 419
Amaranthus: Albugo bliti 208; Gloeosporium amaranthicola 208
Amaryllidaceae: Narcissus viruses, mosaic 454, white streak 456
Amerosporium oeconomicum, 235, 261, 266
Anemone alloiophylly virus, description etc., 415
Anthurium mosaic virus, description etc., 417
Anticarsia gemmatilis (velvet bean caterpillar), 266
Antirrhinum majus: downy mildew 382; Phyllosticta 184; rust 184, 208, 350, 382; Verticillium wilt 184
Aphanomyces, on pea 220; sugar beet (tip root rot) 207
--- cochlioides, 216, 228, 308, 381
--- euteiches, 189, 201, 339
--- raphani, 176
Aphelenchoides sp., on strawberry 335
--- fragariae, 283
--- parietinus, on Iris 337
Aphelenchus sp., on chrysanthemum 184
Apocynaceae: aster yellows virus 419; oleander variegation virus 456
Apple: anthracnose 142; Armillaria 242; arsenical injury to fruit 247; bitter pit 142, 205, 243, 379; bitter rot 141, 164, 168, 171, 182, 194, 226, 236, 243, 247, 253, 301, 335; black pox 142, 156, 164, 169, 182, 243; black root rot (Xylaria) 236, 243; black rot canker, leaf spot, fruit rot, 142, 150, 156, 164, 169, 182, 194, 205, 226, 236, 247, 253, 291,
(Apple) (black rot) 302, 324, 335; blister canker 226; blotch 169, 182, 194, 205, 226, 243, 247, 253, 291, 301, 324; boron deficiency (see also cork, drought spot) 379; brown rot 291, 324; cedar-apple rust 141, 150, 156, 164, 168, 182, 194, 205, 216, 226, 236, 243, 253, 291, 301, 311, 324; cedar-hawthorn rust, 141; cedar-quince rust 141, 150, 156, 182, 194, 247, 253; chlorosis (nonpar.) 403; Coniothyrium fuckelii 164; core mold (Alternaria) 205; cork, external, 253; Corticium galactinum 236; crowngall 205, 335; deficiency diseases 142, 253, 341, 353, 379; drought effect on root rot 243; drought injury 164; drought spot 341, injury resembling 404; fireblight 141, 150, 156, 164, 168, 194, 205, 216, 226, 236, 242, 291, 301, 308, 311, 324, 335, 341, 344, 349, 353, 363, 379, 402; fly speck 205, 243, 247, 253, 291, 324; frog-eye, see black rot; frost injury 205, 243, 246, 253, 302, 403; fruit injury resembling boron deficiency drought spot, 404; fruit russet, 142, 216; fruit spot 142, 156, 164, 169, 243; Illosporium leaf spot 243; internal bark necrosis (nonpar.) 243; iron deficiency 353, 363; iron-sulfate injury 403; Jonathan spot 341; late blossoming 164; leaf scorch 142; magnesium deficiency 142; measles 164; mosaic (virus) 142; Penicillium fruit rot 324, 402; perennial canker fruit rot 402; Pestalotia leaf spot 268; Phymatotrichum root rot 353; Phytophthora crown rot 243; powdery mildew 349, 353, 379, 402; Rhizopus rot 402; root rot 236, 242, 243, 353, 363, 379, undet. 363; Rosellinia 379; rosette 403; rough bark canker (undet.) 404; scab 142, 150, 156, 164, 169,

(Apple) (scab) 171, 182, 194, 199, 205, 216, 227, 236, 243, 247, 253, 291, 302, 308, 311, 317, 324, 341, 349, 379, 394, 402; sooty blotch 156, 182, 194, 226, 242, 246, 253, 291, 324; spray injury 164, 247, 403; weather, and root rot 243, and scab, 324; white root rot 236; winter injury 227, winter killing 205; Xylaria 236, 243; zinc deficiency 379
---, crab (flowering): scab 394
Apricot: Armillaria 380; bacterial canker 380; brown rot and blossom blight 380; canker (undet.) 404; chlorosis (nonpar.) 349; Coryneum blight 349, 363, 380, 401; dieback (undet.) 365; fruit spot (nonpar.) 404; green rot 380; iron deficiency 353; jacket rot 380; little leaf (zinc deficiency) 380; peach mosaic, a symptomless carrier, 380; peach mosaic, apricot form, 380; ringpox (ring spot) (virus) 340; rust 380; tumor (undet.) 380; Verticillium 365; winter injury 365, 403; wood decay fungi 365; zinc deficiency 380
Aquifoliaceae: Ilex variegation virus 445
Araceae: Anthurium mosaic virus 417
Arecastrum: Ganoderma 270
Armillaria mellea, 217, 242, 283, 377, 378, 379, 380, 381, 383, 400
Arsenical toxicity, systemic, to peach 403
Artichoke (globe): gray mold rot 373; Phytophthora root rot 385; Ramularia leaf spot 373, 385
Asclepiadaceae: aster yellows virus 419
Asclepias: aster yellows 208
Ascochyta sp(p.), on Austrian winter pea 278; onion 388; pea (leaf spot, pod spot) 189, 386; sorghum 278; vetch 279
(Ascochyta) gossypii, 280
--- imperfecta, 148, 155, 340, 353
--- lethalis, 307
--- lycopersici, 393
--- pinodella, 201, 211, 346, 375
--- pisi, 201, 211, 281, 282, 375
--- sorghina, 265, 282
Asimina: Cercospora 270
Asparagus: 356; bacterium assoc. with root rot 388; Cercospora 233, 318, 351; Colletotrichum 388; Fusarium 152, 157; Penicillium 388; root rot (undet.) 388; rust 128, 144, 152, 157, 165, 199, 218, 345, 370
Aspergillus sp(p.), on corn 156, 192, 300; watermelon 285
--- niger, 370, 406
Aster spp.: Coleosporium solidaginis 208; Septoria atropurpurea 208
---, China or garden, see Callistephus
Atropa belladonna: mosaic virus, description, etc. 417; Phytophthora root rot 381; Verticillium wilt 381
Avocado: decline and collapse 380; excess water injury 380; Phytophthora trunk canker 380
Axonopus: Physarum 281

Baccharis: Dimeriella 270
Bacterial black stalk, of tobacco 249
--- corm decay, of gladiolus 337
--- leaf spot and top rot (undet.), of corn 313, 316
--- soft rot, of onion 165; potato 278, 331; tomato 245, 250. See also Erwinia carotovora
Bacterium, assoc. with asparagus root rot 388; onion basal bulb rot 405; onion soft puffy rot 406
--- sesamicola 333
--- solanacearum, see Pseudomonas
--- stewartii, 140, 167, 180, 192, 204, 225, 246, 252, 290, 300
--- tardicrescens, 216

Bark necrosis, internal, of apple, 243
Bark splitting, of peach 404
Barley: bacterial blight 210, 213, 222, 310, 340; blotch 167, 213, see also net blotch, spot blotch; covered smut 140, 167, 177, 190, 198, 203, 213, 222, 278, 298, 306, 340, 343, 347, 376; ergot 167, 203, 212, 221, 306, 339, 343, 347; foot rots 222, 298, 376; Fusarium 212, 213, 222, 298; Gibberella footrot 376; head blight 203, 210, 212, 213, 306, 310; Helminthosporium 203, 210, 212, 213, 222, 278, 298, 305, 306, 310, 343, 376; intermediate smut 222; leaf rust, 148, 167, 177, 190, 203, 213, 222, 242, 298, 306, 310, 333, 343, 347; leaf rust, wheat, 222; loose smut 140, 167, 177, 190, 198, 203, 213, 222, 242, 278, 298, 306, 310, 340, 343, 347; net blotch 222, 376; powdery mildew 167, 203, 221, 278, 298, 333, 347, 361, 376; Pythium root necrosis 222, 298; root rot 210, 212, 213, 278, 310; scab 167, 177, 198, 203, 210, 212, 213, 222, 242, 298, 305, 306, 310; scald (scorch) 203, 213, 376; seed treatment 213; seedling blight 210, 212, 213, 222, 310; snow rot (Typhula) 361; spot blotch 198, 222, 278, 298, 305, 306, 310, 343; stem blight (Helminthosporium) 203, 213; stem rust 140, 148, 167, 177, 190, 198, 203, 210, 222, 242, 298, 306, 310, 340, 343, 347, 361; stripe 203, 213, 222, 298, 306, 310, 339, 343, 347, 376; take-all (Ophiobolus) 222, 298, 376
Bean: anthracnose 134, 147, 154, 166, 201, 211, 220, 234, 240, 251, 260, 277, 286; angular leaf spot (Isariopsis) 134, 251; ashy stem blight, see with charcoal rot; bacterial blight 211, 234, 260, 331; --- ---, common, 135, (Bean) (bacterial blight, common) 147, 154, 166, 176, 189, 197, 201, 220, 240, 251, 277, 281, 297, 305, 309, 320, 339, 342, 346, 352, 358; --- ---, halo, 134, 147, 154, 189, 201, 240, 281, 339, 342, 346, 358; bacterial wilt (Corynebacterium flaccumfaciens) 166, 197, (Pseudomonas solanacearum) 277; charcoal rot 281, 286, 320, 330; chlorosis (nonpar.) 331; curly top (virus) 331, 342, 352; damping-off (Thielaviopsis) 375; gray mold rot, 134, 397; insect injury 264, 320; leaf blotch (Cercospora) 277, 286; mosaic (virus) 135, 147, 154, 189, 201, 220, 235, 260, 277, 281, 287, 305, 331, 339, 342, 346, 352, 358, 375, 393; ---, assoc. with gladiolus 393; ---, common, 154, 331, 339, 358; ---, green type, 342, 346; ---, yellow 147, 154, 331, 342, 346, 358; nonpar. trouble, not specified, 346; powdery mildew 166, 235, 260, 277, 286, 330, 352, 375, 385; pod rot (Rhizoctonia) 251, 260; red node (virus suspected) 342, 346; red spider injury 320; rootknot 235, 251, 260, 277, 297, 352, 375; root rot (Diaporthe) 277; --- --- (Fusarium) 134, 176, 188, 201, 240, 339, see also root rot, dry; --- --- (Phymatotrichum) 330; --- --- (Rhizoctonia) 134, 154, 281, 330, 375, 385, 392, 397; --- ---, black (Thielaviopsis) 277, 375; --- ---, dry (Fusarium sclani f. phaseoli) 134, 147, 154, 201, 297, 339, 342, 346, 352, 375, 358; russet of pods (undet.) 397; rust 134, 154, 201, 220, 235, 240, 260, 277, 281, 286, 297, 331, 339, 342, 346, 352, 375, 392; seed-borne infection 240; seed treatment studies 56; southern blight or wilt 277, 281, 331;

(Bean) stem blight, stem tip blight (Pythium) 281, 330; stem canker (Rhizoctonia) 201, 281; stem rot (Rhizoctonia) 260, 330, (Sclerotinia) 277; web blight 281; white mold (Sclerotinia) 342; wilt (Fusarium) 286, (Pythium) 375; witches' broom (virus) 352
---, broad: see Vicia faba
---, castor: see Ricinus
---, Lima: anthracnose or blight of pods and seeds (Colletotrichum truncatum) 319; bacterial blight 240; --- ---, common (Xanthomonas) 188; bacterial spot (Pseudomonas syringae) 146, 154; charcoal rot 320; cottony leak (Pythium) 320; downy mildew 146, 240; leaf spot (Alternaria) 154, (Cercospora) 320; mosaic (virus) 240; pod blight (Diaporthe) 146, 281; pod rot (Fusarium) 188; powdery mildew 320; rootknot 330; root rot (Fusarium) 188, 358, (Rhizoctonia) 188; seed treatment studies, 11, 93, 94; seedling root rot (Rhizoctonia solani) 375; southern wilt 281; witches' broom (virus suspected) 352
---, mung: bacterial blight, common, 319; charcoal rot 319; yeast spot 319
---, velvet: see Stizolobium deeringianum
Beet, garden: Aphanomyces 308; black heart (phosphate deficiency) 345; boron deficiency 152, 199, 370, 389; Cladosporium 389; curly top (virus) 326, 351, 370, 384; damping-off (various) 199, 308; Epicoccum 389; Fusarium 351; Heterosporium 389; internal black spot (boron deficiency) 199; leaf spot (Cercospora) 128, 144, 152, 157, 172, 185, 199, 289, 318, 326, 345, 351, 368, 370, 383, 389, 396; --- --- (various fungi) 389; Macrosporium 389;
(Beet, garden) mosaic (virus) 326; nematode gall (undet.) 239; Phoma 128, 389; phosphate deficiency 345; Pythium 199, 308; Ramularia 389; Rhizoctonia 199, 308; root canker (boron deficiency) 389; root rot (various) 308; rust 370, 384, 389, 396; scab 128, 172, 199, 389; seed treatment studies 31, 93; southern blight 326, 389; Stemphylium 389
---, sugar: Aphanomyces, 207, 216, 228, 308, 381; black heart (phosphate deficiency) 350; black root complex 168, 341, 344, 349, 367; boron deficiency 207, 381; charcoal rot 381; crown rot (Rhizoctonia and Pythium) 207, (undet.) 367; curly top (virus) 341, 344, 350, 354, 367, 381, effect of resistant vars. on incidence 367; damping-off (various) 216, 228, 308, 344, 349, 367, 381; downy mildew 381, 394; dry rot canker (Rhizoctonia) 356, 381; Fusarium 344, 349; heart rot (boron deficiency) 207; Heterodera schachtii 349; leaf spot (Cercospora) 168, 183, 198, 207, 216, 228, 307, 341, 344, 349, 354, 366, 381, 394; leaf spot (Ramularia) 395; Macrophoma, on leaf and stem, 394; mosaic (virus) 344, 350, 354, 367, 381; nitrogen deficiency 341, 354; Phoma 207, 216, 228, 349, 381, 394; phosphorus deficiency 341, 350; Pythium spp., 207, 228, 308, 344, 349; Rhizoctonia solani 216, 228, 308, 344, 349; root rots 198, 216, 228, 308, 344, 349, 356, undet. 356; rust 381, 395; savoy disease (virus) 228, 350; scab 228; seedling root rot 381; southern root rot 381; tip root rot (Aphanomyces) 207; weather injury 198; wet root rot (Phytophthora) 366; wilt (Verticillium) 350
Begonia: bacterial leaf spot 350,

(Begonia) (bacterial leaf spot) 382; Botrytis 350
Begoniaceae: aster yellows virus, 419
Belladonna: see Atropa belladonna
Berberis vulgaris: Puccinia graminis 139, 350
Bignonia: Capnodium 270; Meliola 270
Bignoniaceae: Tabebuia witches' broom virus, 476
Bitter pit (nonpar.), of apple, 142, 205, 243, 379
Blackberry: anthracnose 150, 206, 291, 325; crowngall 206; Hendersonia rubi 400; mosaic, mild (virus) 206; orange rust (Gymnoconia) 195, 206, 291, 325; Septoria 150, 394
---, wild: fly speck 206, sooty blotch 206
Black end (assoc. with rootstock), of pear, 381
Black-eye pea: see cowpea
Black heart (nonpar.), of beet 345; celery 127, 370
Black line (graft incompatibility), of walnut, 379
Black measles (undet.), of grape, 381
Black root complex, of strawberry 205, 349; sugar beet 168, 341, 344, 349, 367
Blast (nonpar.), of oats, 221
Blasting (undet.), of onion seed heads, 406
Blight (nonpar.), of onion, 326
Blossom-end rot (nonpar.), of pepper 129, 186, 351; pimiento 259; tomato see host; watermelon 285
Blueberry: Phomopsis gall 151; powdery mildew 143, 151; Pucciniastrum goeppertianum 143, myrtilli 143; stunt (virus) 151
Boerhaavia: Albugo 270
Boltonia: streak virus description etc., 418
Boraginaceae: aster yellows virus 419
Borago officinalis: Ramularia leaf spot 382
Boron injury, to walnut 379
Botryodiplodia diplocarpa, 267
Botrytis sp(p.), on azalea (flower blight) 282; bean (pod rot) 397; begonia 350; Brussels sprouts 371; cabbage 371; Camellia (flower rot) 382; clover 279; delphinium 208; endive 372; lettuce (head rot, slime) 391, 397; lily 209; onion 199, 368, 370, 388; peony 209; strawberry 226, 301, 402; tulip 209
--- allii, 296, 318, 344, 405, 406
--- byssoidea, 405
--- cinerea, on artichoke 373; bean 134; brussels sprouts 384; cabbage 384, 390; castor bean 269; endive 385; fig 379; geranium 184; grape 381; lettuce 174, 373, 385; strawberry 279, 283; tomato 277
--- convoluta, 216
--- elliptica, 382
--- paeoniae, 217, 351
--- squamosa, 405
--- tulipae, 185, 351
Boysenberry: crowngall 403; Mycosphaerella rubi 354
Braschette (Brassica oleracea var.): downy mildew 371; ring spot (Mycosphaerella) 371
Bremia lactucae, 373, 385, 391
Broccoli: Alternaria leaf spot 152, (black) 128, 280, 327, (gray) 384; aster yellows (virus) 384; bacterial leaf spot (Pseudomonas maculicola) 371; blackleg 152; black rot 200, 280; downy mildew 128, 233, 327, 371, 384, 390; drop (Sclerotinia) 371; mosaic (virus) 233, 371, 384; ring spot (Mycosphaerella) 371, 389; root rot (Phytophthora) 371, (undet.) 384; wet weather injury 384; wirestem (Rhizoctonia) 371
Bromus: Claviceps purpurea 203, 212, 221, 347; Helminthosporium bromi 203; phyllody (undet.) 221; Pseudomonas coronafaciens var. atropurpurea 203, 212, 221, 309; Puccinia graminis 221; Pythium root necrosis 221;

(Bromus) Rhynchosporium secalis 203; Selenophoma bromigena 203, 212, 309; Septoria bromi 203; Stagonospora sp. 221; Ustilago bromivora 347; Xanthomonas translucens 221
Broomcorn: anthracnose 321
Broussonetia: Cercospora 270
Brown root rot (undet.), of tobacco 207, 238
Brussels sprouts: black ring (virus) 372; cottony rot (Sclerotinia) 372; gray mold rot 371, 382; downy mildew 372; mosaic (virus) 372
Buckwheat: stem rot (undet.) 162
Bud drop (nonpar.), of camellia 337
Bur clover: see Medicago arabica
Burn (? high temperatures), of almond 377

Cabbage: Alternaria leaf spot 152, (black) 128, 200, 218, 233, 259, 276, 280, 327, (gray) 158, 384, 390; aster yellows (virus) 371; bacterial soft rot 144, 172, 218, 277, 305, 345; blackleg 129, 145, 152, 185, 200, 211, 218, 277, 351; black ring (virus) 371; black rot 129, 145, 152, 158, 165, 172, 200, 211, 218, 233, 277, 280, 305, 327, 351; Cercospora leaf spot 371; club root 129, 145, 152, 165, 172, 200, 211, 218, 239, 390, 396; cottony rot (Sclerotinia) 371; cracked heads (nonpar.) 158; damping-off 218; downy mildew 129, 145, 218, 233, 262, 280, 327, 371, 384, 390; downy mildew-Macrosporium interaction 390; fly speck (virus) 396; frost injury 262; gray mold 371, 384, 390, as factor in seed crop 390; Macrosporium 390; mosaic (virus) 200, 327, 357, 384; powdery mildew 371; Pythium 218; ring spot (Mycosphaerella) 371, 390; rootknot 276; root rot (Rhizoctonia) 262, 371;
(Cabbage) seed stalk infection (Sclerotinia) 390; soft rot (undet.) following worm injury 259; southern blight 277; stem rot (Rhizoctonia) 371; veinbanding virus symptom 396; watery soft rot (Sclerotinia) 280, 327, 351; wirestem (Rhizoctonia) 218; yellows (Fusarium) 129, 145, 158, 165, 172, 185, 196, 200, 211, 218, 233, 239, 277, 338, 345
---, Chinese: Alternaria (black) leaf spot 129; black rot 172; Cercosporella leaf spot 371; fly speck (virus) 390; rootknot 351; rosette growth (? virus), 390; watery soft rot (Sclerotinia) 351
Cactaceae: Epiphyllum mosaic virus 435
Calceolaria: spotted wilt (virus) 382
Callicarpa: Cercospora 270
Callistephus: aster yellows (virus) 208, 350 description of viruses 418, 423; Coleosporium solidaginis 208; Fusarium wilt 208, 350
Calonectria graminicola, 214
Calonyction: Albugo 270
Camellia: bud drop (nonpar.) 337; flower rot (Botrytis) 382; flower spot (Sclerotinia camelliae) 382; yellow spot virus description etc., 426
Campanulaceae: aster yellows virus 419
Cane fruits (see also under individual plants): anthracnose 381; cane blight (Leptosphaeria) 381; crowngall 335; Mycosphaerella leaf spot 335; orange rust 335; Septoria 292, 381, 402; Verticillium 381
Canker (undet.) of apricot, 404
Canna mosaic virus, description etc., 426
Cannabis sativa: see hemp
Cannaceae: canna mosaic virus 426
Cantaloup: Alternaria blight 129,

(Cantaloup) (Alternaria blight) 153, 166, 173, 197, 200, 218, 285, 318, 345, 352; angular leaf spot 153; anthracnose 129, 145, 153, 165, 173, 197, 200, 211, 218, 305; bacterial wilt 130, 165, 173, 211, 218, 285, 318, 345; damping-off (Pythium) 219; downy mildew 130, 200, 285, 328; fruit rot (Fusarium) 372, (Phytophthora) 345; Fusarium wilt 130, 165, 173, 211, 218, 357; mosaic (virus) 130, 145, 166, 197, 200, 211, 219, 328, 372; powdery mildew 153, 328, 345, 352, 356, 357, 372; Pythium 219; rootknot 328; scab 129, 145; Septoria 130; southern blight 328; Verticillium wilt 130; wilt (undet.) 391
Capnodium elongatum, 270, 272, 274, 276
Caprifoliaceae: elder mosaic virus 474; Lonicera variegation virus 451
Cardoon: powdery mildew 372; Ramularia leaf spot 373
Carrot: Alternaria blight 132, 146, 153, 166, 173, 187, 197, 234, 239, 328, 352, 373; aster yellows (virus) 132, 187, 200, 328, 346, 373, 388, 391; bacterial blight, bacterial spot (Xanthomonas) 219, 373, on roots 373; bacterial rots 391; bacterial soft rot 219, 346, 373; black rot 396; Cercospora blight 132, 146, 153, 166, 187, 200, 357, 373, 385, 391; chlorosis (nonpar.) 391; Cladosporium 391; dodder 352; environmental injuries 263, 391; fungi assoc. with leaf spots 391; Heterosporium 391; leaf necrosis (nonpar.) 391; Macrosporium 391; Mycosphaerella 391; Rhizopus rot 153; root branching (nonpar.) 132; root crack 391; rootknot 153, 352, 373; root rot (undet., ? Phytophthora) 385;
(Carrot) soft rots (undet.) 397; soil conditions 263, 391; southern blight or root rot 328, 373, 391; Stemphylium assoc. with leaf spot 391
Carthamus tinctorius: blight (Gloeosporium) 336
Carya sp.: Microstroma juglandis 337
Caryophyllaceae, as hosts for viruses: aster yellows virus 419; carnation mosaic virus 434
Cassia tora: powdery mildew 264; rootknot 264; root rot (Rhizoctonia) 264
Castor bean: see Ricinus
Catalpa: Alternaria 143; Cercospora 270
Catface (nonpar.), of tomato fruit, 211
Cauliflower: Alternaria leaf spot 371, (black) 128, 152, 390 see also Macrosporium, (gray) 384 aster yellows (virus) 384; bacterial spot, see peppery leaf spot; blackleg 351; black ring (virus) 371, 384; black rot 200, 259, 262; Brassica virus 3, 390; club root 128; downy mildew 371, 384; leaf necrosis and distortion (? virus) 390; Macrosporium (black) leaf spot 390, see also Alternaria; mosaic (virus) 371, 384, 390; peppery (bacterial) leaf spot (Pseudomonas maculicola) 128, 259; ring spot (Mycosphaerella) 371, 390; root rot (Phytophthora) 371, 384; virus symptoms 390; white rust 384; yellows (Fusarium) 200
Cedrus: Clitocybe 270
Celastraceae: hosts for Euonymus variegation virus 436
Celastrus: Ramularia celastri 208
Celery: abnormal plants (? virus or genetic), 388, 396; aster yellows (virus) 152, 370, 388; bacterial soft rot 144, 152, 345; black heart (nonpar.) 127, 370; boron deficiency 199, 370; calico (virus) 370;

(Celery) chlorotic mottle (? virus 388, 396; cottony rot (Sclerotinia) 370; cracked stem 157; early blight (Cercospora) 127, 144, 152, 157, 165, 172, 196, 199, 218, 345, 370; filiform leaves (? virus) 388: Fusarium yellows 165, 172, 196, 345, 370, 383; late blight (Septoria) 127, 144, 152, 157, 165, 172, 196, 218, 199, 345, 351, 370, 383, 388, 396; mosaic (virus) 368; ---, calico type, 370, 388; ---, southern, 345; ---, western, 370; pink rot (Sclerotinia) 345, 383; rootknot 370; rosette growth (? virus) 396; spotted wilt (virus) 370; virus-like symptoms 388, 396; witches' broom (? virus) 388, 396
--- root (celeriac): aster yellows 370; late blight (Septoria) 370
Celtis: Septobasidium sydowii 337
Celtuce: downy mildew 374
Cenchrus pauciflorus: Sorosporium syntherismae 203
Cephalanthus mosaic virus description etc. 427
Ceratostomella fimbriata, see Endoconidiophora fimbriata
Cercospora sp(p.), on cabbage, 371; clover, 279; cotton, 293, 325; Erythrina, 271; peanut, 257, 260
--- althaeina, 276, 336
--- angulata, 227
--- apii, 127, 144, 152, 157, 165, 172, 196, 199, 218, 345, 370
--- arachidicola, see Mycosphaerella
--- asiminae, 270
--- asparagi, 233, 351
--- beticola, 128, 144, 152, 157, 168, 172, 183, 185, 198, 199, 207, 216, 228, 239, 307, 318, 326, 341, 344, 345, 349, 351, 354, 366, 368, 370, 371, 383, 389, 394, 396
--- broussonetiae, 270
--- callicarpae, 270
(Cercospora) capsici, 158, 259, 262, 280, 327
--- carotae, 132, 146, 153, 166, 187, 200, 357, 373, 385, 391
--- catalpae, 270
--- caulicola, 318
--- cladosporioides, 379
--- cornicola, 271
--- cruenta, 261, 277, 279, 286, 289, 320, 322, 334
--- cydoniae, 271
--- daizu, see C. sojina
--- effusa, 261
--- elaeagni, 271
--- fusca, 282, 323
--- gossypina, 283
--- ilicicola, 272
--- leucosticta, 273
--- longispora, 265
--- medicaginis, 222
--- meliloti, 203
--- minima, 283, 335
--- nicotianae, 254
--- oryzae, 282, 287, 333
--- pastinacae, 134, 146, 154
--- personata, see Mycosphaerella berkeleyi
--- rhuina, 275
--- smilacis, 276
--- sojina, 149, 162, 168, 178, 191, 198, 235, 255, 265, 278, 282, 288, 320
--- sorghi, 246, 252, 265, 282
--- stizolobiae, 266
--- vignae, 282
--- viridula, 238
--- viticola, 236
--- zeae-maydis, first report in Ky. 246; Tenn. 252
--- zebrina, 171, 179, 190, 191, 204, 282
Cercosporella albo-maculans, 128, 158, 371, 390
--- caryigena, see Mycosphaerella
--- mori, 268
--- persicae, 267
Cercosporina kikuchii, 178
Cereal rusts: intensity scales 102; methods of appraising destructiveness and intensity, 99

Chaenomeles japonica: Cercospora 271
Chard: curly top (virus) 351; downy mildew 371, 383; leaf spot (Cercospora) 128, 239, 371, 389, (Ramularia) 389; mosaic (virus) 371; rust 371, 389
Chenopodiaceae, as hosts for viruses, aster yellows 419; --- --- ---, California strain, 423; delphinium ring spot 433; Matthiola mosaic viruses, mild, 451, severe 453
Cherry: bacterial canker 380; black knot 236; brown rot 169, 195, 198, 205, 227, 236, 244, 324, 380, 394, 402; buckskin (virus) 380; chlorosis (iron deficiency) 365, 380; Coryneum blight 401; crinkle (virus) 365, 380; crown-gall 349, 353; deep suture disease (? virus) 365; dieback (undet. ? virus associated) 365, 366; frost injury 205, 227, 302; fruit cracking 403; lace leaf (transmissible) 404; leaf spot (Coccomyces) 150, 157, 169, 171, 182, 195, 199, 205, 227, 236, 244, 291, 302, 324, 341, 380, 394, effect of control on winter killing 205; little leaf (zinc deficiency) 380; mosaic (virus) 349; mottleleaf (virus) 403; necrotic ring spot (virus) in Wis. 205; Penicillium 402; pockets 308; powdery mildew 227, 341, 349, 365; pucker leaf (undet.) 404; rasp-leaf (virus) 349, 365, 403; Rhizopus rot 402; ring spot or lace leaf (virus) 365; ring spot pattern (undet.) 404; root drowning 365; rough bark canker, transmitted to peach 404; rusty mottle (virus), symptoms resembling 365; sap rot (Schizophyllum) 349; virus diseases as factor in dieback 365, 366; wilting disease (undet., ? virus) 365; winter injury 205, 341, 365, 366, 403;
(Cherry) yellows (virus) 205
---, choke: red leaves, connection with western-X virus disease not demonstrated, 404
---, flowering: rough-bark virus, description, etc. 467
--- -plum hybrids: leaf spot 216
---, sand: brown rot blossom blight 216
Chestnut: blight 378
Chicory: spotted wilt (virus) 372
Chives: downy mildew 370
Chlorosis, iron deficiency, see under deficiency diseases
---, lime-induced, on fruits and trees, 403
---, nonpar., of apricot 349; bean 331; carrot 391; citrus 335; cucumber 328; nectarine 349; ornamental trees and shrubs 337, 338; peach 334, 348; spinach 332; tomato 330
---, undet., of prune 404
Chlorotic dwarf, undet., of pine 238, 244
Choanephora cucurbitarum, 131, 159, 186, 263
Chrysantheumum: Aphelenchus sp. 184; Coleosporium 208; mosaic (virus) 350; powdery mildew 208, 350; Septoria 184; Verticillium wilt 184
Chrysomyxa cassandrae, 199
Cicer arietinum: mosaic (virus) 372
Cineraria streak virus, description, etc., 474
Cistaceae: hosts for aster yellows virus, 419
Citron: charcoal rot 328
Citrus: Alternaria (black) rot 335, 379; Armillaria root rot 379; Botryodiplodia dieback 267; brown rot (Phytophthora) 378; chlorosis (nonpar.) 335, 378; Clitocybe root rot 267; cottony rot (Sclerotinia) 378; decline (undet.) 268, 353; decorticus (Diaporthe) 378; deficiency diseases 267, 378; Diplodia 267; dodder, 268, 271; endoxerosis (water relations) 379;

(Citrus) exanthema (copper deficiency) 378; foot rot (Phytophthora) 268; Ganoderma 268; gummosis (Phytophthora) 378; low temperature injury 378; manganese deficiency 378; melanose 267, 282, 335; mottle leaf (zinc deficiency) 378; Penicillium (blue mold, green mold) 335, 378; psorosis A (virus) 353; saline water injury 268; scab 267, 282, 335; Septoria fruit spot 378; stem-end rot 335; stylar-end rot 267; Trichoderma rot 378; Ustulina 268; water spot 378, 379
Cladosporium sp., on beet 389; carrot 391; hops 395; tomato (soil rot of fruit) 392
--- carpophilum, 149, 156, 163, 168, 194, 205, 226, 290, 301, 323, 377, 378
--- cucumerinum, 129, 130, 131, 145, 261, 267, 282, 323, 335
--- fulvum, 133, 146, 153, 160, 166, 175, 187, 201, 239, 297, 346, 374
--- paeoniae, 209
--- pisicola, 375, 386
Claviceps microcephala, 399
--- purpurea, 167, 178, 202, 203, 212, 214, 221, 223, 240, 242, 299, 306, 307, 309, 310, 320, 339, 343, 347
Clitocybe tabescens, 266, 267, 270, 283
Clover: see Trifolium
---, Alyce: see Alysicarpus
---, bur: see Medicago
---, sour: see Melilotus
---, sweet: see Melilotus
Coccomyces hiemalis, 150, 157, 169, 171, 182, 195, 199, 205, 216, 227, 236, 244, 291, 302, 324, 341, 380, 394
--- prunophorae, 157
Coffeeweed: see Cassia tora
Coleosporium sp., on Chrysanthemum, 208
--- elephantopodis, 271; parasitized by Ramularia coleosporii, 271
(Coleosporium) ipomoeae, 238, 272, 275
--- solidaginis, 208
--- vernoniae, 276
--- viguierae, 276
Collards: black rot 276; blackleg 276; ring spot (Mycosphaerella) 276; rootknot, 276, 327
Colletotrichum sp., on asparagus 388; Elaeagnus 271; horseradish 161; vetch 282
--- atramentarium, 161
--- brassicae, 277
--- circinans, 127, 144, 199
--- destructivum, 281
--- falcatum, 261, 280, 283
--- gloeosporioides, 268
--- glycines, see Glomerella
--- graminicolum, 167, 203, 204, 212, 282, 321
--- humuli, 151
--- lagenarium, 129, 130, 131, 145, 153, 165, 166, 173, 186, 200, 211, 218, 239, 249, 285, 305, 318, 328, 345, 352
--- lindemuthianum, 134, 147, 154, 166, 201, 211, 220, 234, 240, 251, 260, 277, 286
--- lineola, 252, 265, 278
--- linicolum, 213, 222, 376
--- nigrum, 280
--- phomoides, 133, 146, 153, 166, 175, 187, 197, 200, 211, 245, 277, 296
--- pisi, 201
--- spinaciae, 332
--- trifolii, 278, 281, 282, 353
--- truncatum, 319
Compositae: as hosts for viruses: aster yellows virus 419; Boltonia streak virus 418; cineraria streak virus 475; dahlia mosaic virus 829; Emilia variegation virus 435
Conifer blight undet., on Cupressus, 337
Coniothyrium fuckelii, 164 (see also Leptosphaeria coniothyrium)
Conopholis americana, on linden 276; oak 275; sweetgum 273; tobacco 254

Convallaria mosaic virus, description etc., 428
Convolvulus: Puccinia convolvuli 208
Cork, external, of apple, 253
Corn: Aspergillus 156, 192, 300; bacterial leaf spot and top rot (undet., apparently new) 313, 316; bacterial stalk rot (Phytomonas dissolvens) 300; bacterial wilt and leaf blight (Bacterium stewartii) 140, 167, 180, 192, 204, 225, 246, 252, 290, 300; black bundle (Cephalosporium and other causes) 192, 225; brown spot (Physalospora) 181, 279, 282, 290; Cercospora sorghi 252; Cercospora zeae-maydis, in Ky. 246, Tenn. 252; charcoal rot 193, 290, 301, 312, 314, 316, 323, 348, weather relations, 314; cob rot (Nigrospora) 156, 181, 193, 204, 225, 300, 311, 312, 316; damping-off (Rhizoctonia) 282; Diplodia 149, 155, 162, 167, 171, 180, 181, 192, 204, 215, 225, 252, 279, 289, 300, 311, 312, 316, 323, 334; drought injury 162, 246, 284, 317; ear rots 149, 155, 156, 162, 167, 171, 181, 192, 193, 204, 215, 225, 246, 252, 261, 279, 282, 289, 300, 308, 311, 312, 316, 323, 334, 343, 348, 377; foot rot 311; fungi associated with necrotic mesocotyls and primary roots, 73, 74; Fusarium sp(p.) 180, 181, 193, 215, 225, 307, 311, 323, 343, 348; Fusarium moniliforme 149, 156, 162, 246, 252, 261, 279, 282, 289, 300, 313, 316, 343, 377; Gibberella 149, 156, 167, 180, 193. 204, 225, 289, 300, 311, 316; Helminthosporium blights 140, 162, 167, 171, 181, 193, 235, 242, 246, 252, 279, 282, 289, 334; Hormodendron 181; insect injuries 181, 323; kernel rot 181, 204; leaf firing 246; meadow nematode 334; mosaic (virus) 282;
(Corn) Penicillium 156, 181, 193, 204, 300; poor stands due to poor 1942 seed crop, 215; potassium deficiency 252; Pythium 156, 193, 225, 290, 348; Rhizopus 193; root necrosis 225; root rot (undet.) 313, 316, (various) 162, 193, 215, 225, 290; rust 181, 193, 204, 225, 246, 252, 266, 282, 290, 301, 311, 313, 316, 348, 377; seed rot 301, 348; seed treatment 63, 215; seedling blight 181, 204, 215, 343, 348; seedling decay 301; smut 140, 149, 156, 162, 163, 167, 181, 193, 204, 215, 225, 242, 246, 252, 261, 279, 282, 290, 301, 307, 311, 312, 316, 323, 334, 340, 343, 348, 353, 362, 377; ---, head (Sphacelotheca reiliana) 395; stalk rot 162, 167, 180, 192, 204, 215, 225, 282, 289, 300, 307, 311, 312, 313, 316, 323, effect of insect injury 181; wet weather injury 317
---, sweet: seed treatment 7, 93
Cornus: Cercospora 271; Meliola 271
Corticium sp., on fig (leaf blight) 282
--- fuciforme, 139
--- galactinum, 236
--- microsclerotia, 282
--- salmonicolor, 282, 283
--- solani, see Pellicularia filamentosa
--- stevensii, see Pellicularia koleroga
Corylus: Gloeosporium 208
Corynebacterium flaccumfaciens, 166, 197
--- insidiousum, see alfalfa: bacterial wilt
--- michiganense, see tomato, bacterial canker
--- sepedonicum, see potato bacterial ring rot
Coryneum carpophilum (C. beijerinckii), 348, 349, 363, 377, 378, 380, 401

(Coryneum) kunzei, 338
Cotton: Alternaria leaf spot 237, 280, 293, 325, 354; angular leaf spot 237, 261, 280, 283, 292, 293, 302, 326, 336, 354; anthracnose 261, 280, 283, 292; Ascochyta blight 280; bacterial boll infection 293; boll rots and injuries 237, 261, 269, 283, 293, 326, 354; Cercospora leaf spot 283, 293, 325, 336; charcoal rot 269; crinkle-leaf (nonpar.), 283; damping-off 283, 292; deficiency diseases (see also nitrogen, potassium, deficiency) 293, 326; Diplodia 269, 283; drought injury 284, 292, 293, 317; Fusarium boll rot 237, 261, 354; Fusarium wilt 253, 261, 280, 283, 292, 293, 302, 325, 336; Macrosporium leaf spot 336; manganese toxicity 283; nitrogen deficiency 354; Phymatotrichum root rot 293, 325, 336, 354; potassium deficiency 253, 283, 293, 302; Rhizoctonia solani 283, 302; rootknot 261, 280, 283, 292, 293, 302, 337; "rust", nonpar., see potassium deficiency; rust (Puccinia stakmanii) 336, 354; seedling diseases 280, 283, 292, 302; soil acidity injury 283; Verticillium wilt 283, 293, 326, 336, 354, 382; wet weather injury 292
Cowpea: Amerosporium leaf spot 235, 261, 266; ashy stem blight, see with charcoal rot; bacterial canker, bacterial crown canker, 289, 322, 334; bacterial leaf and pod blight 289; bacterial spot 261, 279; Cercospora spot (C. cruenta) 261, 279, 289, 322, 334, (C. dolichi) 266, (C. vignae) 282; charcoal rot 282, 289, 322, 334, 376; Fusarium root rot 376; Fusarium wilt 261, 279, 282, 289, 322, 334, 376; mosaic (virus) 255, 282, 289, 334;
(Cowpea) Phymatotrichum 334; powdery mildew 261, 279, 322, 334, 376; Rhizoctonia solani 266, 282, 334, 376; rootknot 266, 279, 376; root rot 266, 334, 376; rust 322, 334; southern blight or wilt 279, 282, 334; stem canker 282; stem rot 334, Verticillium wilt 376
Cracked stem (nonpar.), of celery 157
Cracking (nonpar.), of cabbage heads 158; carrot roots 391; cherry fruit 403; eggplant fruit 161; peas 320; potato tubers 138, 320, 347; sweetpotato 160; tomato fruit 161, 297
Cranberry: false blossom (virus) 206; storage rots 206
Crataegus: Entomosporium 271; Gymnosporangium 283; Phyllactinia 271
Crinkle (undet.), of sweet cherry 365
Crinkle-leaf (nonpar.), of cotton 283
Cronartium fusiforme, 274
--- ribicola, 206, 227
Crotalaria: charcoal rot 333; Phymatotrichum 333; powdery mildew 264
Crown rot (undet.), of sugar beet 367; turnip 368
Cruciferae, as hosts for viruses: aster yellows virus 420; California aster yellows virus 424; Matthiola mosaic viruses, mild 451, severe 453
Crucifers (see also under individual crops): black rot 327; downy mildew 327
Cryptosporella viticola, 195, 381
Cucumber: angular (bacterial) leaf spot 130, 166, 200, 391; anthracnose 130, 145, 153, 166, 239, 249; bacterial wilt 130, 145, 153, 166, 173, 186, 200, 211, 285, 296, 318, 338, 345; chlorosis (nonpar.) 328;

(Cucumber) cottony leak (Pythium) 281; downy mildew 130, 263, 281, 318, 328, 372; frost injury 200; leaf blight (Alternaria) 200, 318; mosaic (virus) 130, 145, 166, 200, 296, 328, 345, 357, 372, 391, (white pickle) 391; powdery mildew 130, 145, 153, 200, 352, 372; rootknot 173, 263; scab 130, 145, 200; seed treatment studies 58, 93; sun scald, 131; wind injury 263
Cucurbita moschata: mosaic (virus) 328
Cucurbitaceae: as hosts for delphinum ring spot virus, 433
Cupressus arizonica: conifer blight (undet.) 337
Curly top (manganese deficiency), of Arecastrum, 270
--- --- (virus), see under virus diseases
Currant: anthracnose 150, 206, 402; Cercospora leaf spot 227; Mycosphaerella leaf spot 183, 227; powdery mildew (Sphaerotheca) 216, 227, 402; rust (Cronartium ribicola) 206, 227, (Puccinia grossulariae) 227
Cuscuta sp., 249; on alfalfa 353, 361, 376; carrot 352; lespedeza 249
--- americana, 268, 271
--- arvensis, 327
--- campestris, 374
--- compacta, 271
Cyamopsis: see guar
Cycloconium oleaginum, 379
Cylindrosporium fraxini, 271
--- pastinacae, 201
Cymadothea trifolii, 149, 204, 224, 282
Cynodon dactylon: Helminthosporium, 264
Cytospora sp., on peach, 399
--- chrysosperma, 308, 350
--- sacchari, 283

Dactylis glomerata: Colletotrichum graminicolum 212
Dahlia: mosaic (virus) 208, 350, (Dahlia) (mosaic) (virus) 382, description etc. 428; spotted wilt (virus) 382, 429; streak (virus) 429
Daphne mosaic virus, description etc., 430
Darluca filum, 157, 272
Date: see Phoenix dactylifera
Datiscaceae: hosts for aster yellows virus 420
Datura viruses, description etc., mosaic 431, quercina 431, virosis 432
Decline (undet.), of avocado 380; citrus 268, 353
Delphinium ring spot virus, description etc. 432
Deep suture disease (undet.), of sweet cherry, 365
Deficiency diseases, of citrus 267; cotton 293
---, boron deficiency, of alfalfa 140; apple 341, 379; beet 152, 199, 370, 389; broad bean 282; celery 199, 370; lettuce 374; olive 379; radish 375; rutabaga 199, 233; sugar beet 207, 381; sunflower 399
---, copper deficiency, exanthema of citrus 378
---, iron deficiency, chlorosis of apple 353, 363; apricot 353; cherry 365, 380; citrus 378; grape 354, 366; peach 353, 363, 378; pear 366, 381; plum 366; raspberry 366; strawberry 353
---, magnesium deficiency, leaf scorch of apple 142
---, manganese deficiency, of Arecastrum (curly top) 270; citrus 378; cotton 326
---, nitrogen deficiency, of cotton 354; peach 353; sugar beet 341, 354
---, phosphorus deficiency, of beet 345; pear 349; sugar beet 341, 350; tobacco 249; tomato 352
---, potassium deficiency, of corn 252; cotton 253, 283, 293, 302, 326; plum 380;

(Deficiency diseases, potassium deficiency) of tobacco 207, 249; velvet bean 266
---, zinc deficiency, little leaf of almond 378; apple 279; apricot 380; cherry 380; grape 381; peach 378; plum 380; walnut 379
---, --- ---, mottle leaf of citrus 378
---, --- ---, pecan rosette 261, 335, 353
Delphinium: black spot (bacterial) 208, 216; Botrytis blight 208; powdery mildew 350; ring spot virus description etc. 432
Dematium pullulans, 399
Dendrophoma obscurans, 215, 279, 291, 324
Desmodium tortuosum: powdery mildew 265
Destructiveness, of cereal rusts, methods of appraising, 107
Dewberry: anthracnose 206
Dianthus caryophyllus: Alternaria branch rot and leaf spot 350; carnation mosaic virus, description etc., 434; Fusarium branch rot 184; Fusarium wilt 350; Rhizoctonia stem rot 184; rust 184, 350
Diaporthe sp., on bean (root rot) 277
--- batatatis, 174, 277
--- citri, 267, 282, 283, 335, 378
--- phaseolorum, 146, 281
--- --- var. sojae, see D. sojae
--- sojae, 168, 178, 191, 198, 223, 256, 278, 282, 288, 299, 313, 320
Dibotryon morbosum, 144, 205, 227, 236, 349
Dichondra: Sclerotium rolfsii 382
Didymella applantata, 150, 157, 164
Didymellina iridis, 209, 216, 350, 382
Dieback, boron deficiency, of olive, 379
---, potassium deficiency, of plum, 380
(Dieback) undet., of apricot 365, cherry 365, 366
Dimeriella melioides, 270
Diplocarpon earliana, 205, 283, 335, 402
--- rosae, 185, 209, 228, 338, 351, 383
Diplococcum sp. (?), on Vitis, 269
Diplodia sp., on grape (fruit rot) 381; watermelon (blossom-end rot) 318
--- frumenti, 292, 323, 325
--- gossypina, 283
--- longispora, 338
--- natalensis, 267, 269, 272, 335
--- tubericola, 277, 281, 318
--- zeae, 75, 149, 155, 162, 167, 171, 180, 181, 192, 204, 215, 225, 252, 279, 289, 300, 311, 312, 316, 323, 334
Dipsacaceae: hosts for aster yellows virus, 420
Discoloration, of potato tubers, 202
Disease destructiveness, methods of appraising, 99
Diseases, in Alabama 276; Arizona 351; Arkansas 284; California 369, 383; Colorado 344; Delaware 157; Florida 262; Georgia 259; Idaho 400; Illinois 185; Indiana 169; Iowa 217; Kansas 313; Kentucky 245; Louisiana 280; Maryland 157; Michigan 196; Minnesota 210; Mississippi 280; Missouri 294; Montana 338; Nebraska 311; Nevada 367; New England 126; New Mexico 351; New York 144; North Dakota 305; Ohio 165; Oklahoma 317; Oregon 386; Pennsylvania 152; South Dakota 308; Tennessee 249; Texas 326; Utah 354; Virginia 233; Washington 396; West Virginia 239; Wisconsin 199; Wyoming 342
---, loss estimates, methods of improving accuracy, 99

Ditylenchus dipsaci, on alfalfa 376; strawberry 279
Dock mosaic virus, description etc. 473
Doronicum: powdery mildew 382
Drought spot (nonpar.), of apple 341; prune 403
Dying, undet. of peach trees, 252

Eggplant: Alternaria leaf spot 135, 147, 154; anthracnose 161; Ascochyta fruit rot 393; bacterial wilt 264, 281; frost injury 264; fruit cracking 161; Fusarium sp. 352; Fusarium wilt 161, 235, 287; mosaic (virus) 135; Phomopsis blight 135, 147, 154, 161, 189, 201, 235, 264, 281, 331; Phymatotrichum root rot 331; rootknot 264, 331; southern blight or wilt 281, 287, 331; Verticillium wilt 135, 147, 154, 161, 166, 176, 189, 346, 352, 359; wilt (undet., Verticillium-like) 393; yellows 331
Elaeagnus: Cercospora 271; Colletotrichum 271
Elder mosaic virus, description etc., 474
Elephantopus: Coleosporium 271
Elm: see Ulmaceae, Ulmus
Elsinoë fawcetti, 267, 282, 335
--- randii, 267
--- veneta, 142, 150, 157, 164, 169, 183, 195, 206, 216, 227, 244, 291, 325, 381
Emilia: Puccinia emiliae 271; variegation virus, description etc. 435
Endive: aster yellows (virus) 173, 186, 327, 372; Botrytis 372, 385; rust 372; Sclerotinia (cottony rot, drop, watery soft rot) 351, 372, 385
Endoconidiophora fimbriata (Ceratostomella fimbriata), 60, 159, 174, 187, 219, 245, 250, 260, 281, 285, 319, 329, 352, 373
Endothia parasitica, 378
Endoxerosis (nonpar.), of lemon, 379
Englerulaster orbicularis, 272
Enlarged lenticels (weather), of potato tubers, 320
Entyloma meliloti, 282
--- oryzae, 282, 287, 333
--- polysporum, 216
Environmental injury, to carrot, 263 (See also weather injury)
Epicoccum sp., on beet (leaf spot) 389
Epilobium angustifolium: Pucciniastrum pustulatum, 208
Epiphyllum mosaic virus, description etc. 435
Erwinia amylovora, 141, 150, 156, 164, 168, 169, 194, 195, 205, 206, 216, 226, 236, 242, 283, 291, 301, 308, 311, 324, 325, 335, 341, 344, 349, 353, 363, 379, 380, 383, 402
--- aroideae, 383
--- carotovora, on cabbage 144, 172, 218, 277, 305, 345; carrot 219, 346, 373; celery 144, 152, 345; iris 209; lettuce 385; onion 171, 217, 318, 406; potato (for blackleg see E. phytophthora) 177, 241, 347; tomato 357
--- phytophthora, 136, 147, 154, 166, 189, 197, 202, 212, 220, 297, 306, 309, 339, 342, 347, 352, 359, 393
--- tracheiphila, 130, 131, 145, 153, 159, 165, 166, 173, 186, 200, 211, 218, 285, 296, 318, 338, 345
Erysiphe sp., on cardoon 372; Doronicum 382; Lagerstroemia 337
--- cichoracearum, on cantaloup 153, 328, 345, 352, 356, 357, 372; chrysanthemum 208; cucumber 130, 145, 153, 200, 352, 372; peony 209; phlox 185, 283; pumpkin 132, 145, 352; squash 131, 145, 234, 328, 352, 372, 385;

(Erysiphe cichoracearum) sunflower 143, 207, 228; Xanthium 276; zinnia 351, 383
--- graminis, on barley 167, 203, 221, 278, 298, 333, 347, 361, 376; grasses 202, 203, 223; oats 298; wheat 167, 334, 343, 348, 362
--- polygoni, on bean 166, 235, 260, 277, 286, 330, 352, 375, 335; cabbage 371; clover 140, 149, 155, 162, 204, 224, 278, 282, 368, 395; coffeeweed 264; cowpea 261, 279, 322, 334, 376; Crotalaria 264; delphinium 350; hydrangea 350; kale 371; Lima bean 320; mustard 351, 372, 386; pea 135, 201, 281, 320, 331, 339, 342, 346, 375, 386; rutabaga 351, 389; sweetpea 184, 350; turnip 351, 357, 368, 390
Erythrina: Cercospora 271
Escarole: Alternaria leaf spot 263
Eucalyptus: Polyporus sulphureus 382
Euonymus: Phymatotrichum root rot 337; powdery mildew 337; variegation virus description etc. 436
Exanthema (copper deficiency), of citrus 378
Exobasidium azaleae, 283
--- vaccinii, 273, 382

Fabraea maculata, 142, 169, 271, 283, 324
Fig: Botrytis branch blight and fruit rot 379; Cephalosporium leaf spot 282; endosepsis (Fusarium moniliforme) 379; Macrophoma canker 282; mosaic (virus) 379; nematode root canker (meadow nematode) 379; Phymatotrichum root rot 335; rootknot 335; rust 282, 335; twig and leaf blights (Corticium, Pellicularia) 282
Flax: anthracnose 213, 222, 376; browning disease (Polyspora) 307; Fusarium assoc. seedling blight and root rot 213; Fusarium wilt 213, 222, 307; heat canker (nonpar.) 307, 340;
(Flax) Helminthosporium 213; pasmo 203, 210, 214, 222, 305, 307, 308, 310, 340, 376; Pythium damping-off and root necrosis 222; Rhizoctonia 213; root rot (various fungi) 213; rust 213, 222, 307, 310, 340, on resistant vars. 213; seedling blight (various fungi) 213
Fomes applanatus, 383
Fortunella: melanose 283
Fraxinus: Cylindrosporium fraxini 271; Gloeosporium sp. 311; Puccinia peridermiospora 143, 308, 311; variegation virus, description etc. 437
Frenching (undet.), of tomato 207
Fruit cracking, see under cracking
--- crops: virus disease problem 394
--- injury, undet., of apple 404
--- pox, undet., of tomato, 154
--- rot, undet. of pepper, 158
--- spot, nonpar., of apricot 404; undet. of olive 379
Fumago sp., on hops 395
--- vagans, on hops, 151
Fungicides tested in seed treatment studies, 5, 46, 63
Fusicladium photinicola, 383
Fusarium sp(p.), on apple (core mold) 205; asparagus 152, 157; barley 212, 213, 222, 298; bean 134, 147, 154, 240, 286, 330; beet 351, 389; cantaloup 130, 165; carnation 184; corn 73, 181, 193, 204, 215, 225, 307, 311, 343, 348; cotton (boll rot) 261; cowpea 334; eggplant 161, 235, 287, 352; flax 213; gardenia (root rot) 350; gladiolus 283, 350; guar 353; guayule 354; lima bean (pod rot) 188; melon (fruit rot) 372; narcissus (bulb rot) 351, 382; oats 212, 221, 298; onion 127, 318, 326, 356; pea (root rot, seed decay) 135, 166, 220; peanut 325; pepper 152, 158, 186, 285; potato (tuber rot) 398, (wilt) 166, 369;

(Fusarium) pumpkin (wilt) 159; rutabaga (root rot) 210; sorghum 266, 321, 348; soybean 155, 256; spinach 352; squash 159, 345; strawberry 215; sugar beet 344, 349; sweetpotato 329; tomato (fruit rot) 392; wheat 215
--- annuum, 158, 280, 327, 351
--- avenaceum, on potato, 202
--- batatatis, see F. oxysporum f. batatas
--- hyperoxysporum, see F. oxysporum f. batatas
--- javanicum var. radicicola, see F. solani f. radicicola
--- moniliforme, on corn, 73, 75, 149, 156, 162, 246, 252, 261, 279, 282, 289, 300, 313, 316, 323, 343, 348, 377; cotton 237, 283; fig 379; onion 406; sugarcane 283
--- oxysporum, on potato 197, 278, 306, 309, 343, 347, 352, 359; sweetpotato (surface rot) 219
--- --- f. apii, 165, 172, 196, 345, 370, 383
--- --- f. batatas, 60, 159, 174, 187, 219, 234, 245, 250, 260, 277, 281, 286, 319, 373
--- --- f. callistephi, 208, 350
--- --- f. cepae, 344
--- --- f. conglutinans, 129, 145, 158, 165, 172, 185, 196, 200, 211, 218, 233, 239, 277, 338, 345
--- --- f. dianthi, 350
--- --- f. gladioli, 184, 382
--- --- f. lini, 213, 222, 307
--- --- f. lycopersici, see tomato, Fusarium wilt
--- --- f. medicaginis, 353, 377
--- --- f. melonis, 173, 186, 211, 218, 357
--- --- f. nicotianae, 249
--- --- f. niveum, 218, 249, 281, 285, 318, 328, 352, 372
--- --- f. pisi, race 1, 201, 211, 386; race 2, 201, 211
--- --- f. tracheiphilum, 178, 261, 279, 282, 283, 289, 321, 322, 376
(Fusarium oxysporum) f. vasinfectum 253, 259, 261, 276, 278, 280, 283, 293, 302, 325, 336, 351
--- roseum, 354
--- solani, 347
--- --- f. cucurbitae, 131
--- --- f. eumartii, 136, 148, 154, 220, 297, 342, 347, 359
--- --- f. phaseoli, 134, 176, 188, 201, 251, 297, 339, 342, 346, 352, 358, 375, 376
--- --- f. pisi, 201, 342, 346, 350, 352, 375, 386
--- --- f. radicicola (javanicum var. radicicola), 347
--- spinaciae, 332
--- trichothecioides, 347
--- tricinctum, 391
Gaillardia: white smut 216
Gall, undet., on Myrica 273; Nandina roots 338; Rhus 273
Ganoderma applanatum var. tornatum, 268
--- zonatum, 270, 275
Gardenia: chlorosis (nonpar.) 337; Fusarium root rot 350
Garlic: white rot 280
Gaultheria: Gloeodes pomigena 208; Leptothyrium pomi 208
Geraniaceae, hosts for viruses: Pelargonium leaf curl, 460; Pelargonium mosaic 461
Gesneriaceae: hosts for aster yellows virus 420
Giant hill (undet., ? virus), of potato 155, 347
Gibberella sp., on corn, 289
--- fujikuroi (see also Fusarium moniliforme), on corn, 180
--- zeae, on barley, 167, 177, 198, 203, 210, 212, 213, 222, 242, 298, 305, 306, 310, 376; corn, 73, 75, 149, 156, 167, 180, 193, 204, 225, 300, 311, 316; oats 221; rye 167, 203; wheat 140, 167, 171, 179, 191, 198, 204, 215, 224, 242, 279, 299, 305, 307, 310, 377
Girdle, of alfalfa (? insect activity) 333, 353; of walnut (graft incompatibility) 379

Gladiolus: bacterial corm decay 337; bacterial spot (Xanthomonas) 208; dry rot (Sclerotinia) 337; Fusarium (corm rot, root rot) 184, 283, 350, 382; hard rot (Septoria); leaf and crown rot (Rhizoctonia) 337; mosaic (virus) 208, description of virus 438; mosaic of bean, associated with, 393; Penicillium rot 382; Pseudomonas marginata (bacterial stem rot) 283, (scab) 184, 208, 350, 382; rootknot 283; thrips injury 209
Gloeocercospora sorghi, 265, 282
Gloeodes pomigena, 150, 156, 182, 194, 206, 208, 226, 242, 246, 253, 291, 324
Gloeosporium sp., on Fraxinus 311; safflower 336
--- coryli, 208
--- piperatum, 145, 152, 280, 327
Glomerella cingulata, 141, 157, 158, 164, 168, 171, 182, 194, 209, 226, 236, 242, 247, 253, 259, 268, 301, 335
--- glycines, 168, 178, 191, 198, 223, 256, 265, 288, 312, 314, 321
--- gossypii, 261, 280, 283
Gnomonia nerviseda, 282, 324
--- ulmea, 229, 317
--- veneta, 383
Gonatobotryum maculicola, 272
Gooseberry: anthracnose 206; Cercospora leaf spot 227; Cronartium ribicola 206, 227; crowngall 354; Mycosphaerella leaf spot 150, 183, 227; powdery mildew (Sphaerotheca) 150, 206, 227, 402; Puccinia grossulariae 206, 227
Gordonia: Meliola 271
Graft incompatibility, in walnut, 379
Grape: anthracnose 336; Armillaria root rot 381; black measles (undet.) 381; black rot 143, 151, 157, 169, 183, 196, 206, 228, 236, 244, 283, 292, 302, 325, 335; (Grape) Botrytis rot 381; "California disease" 336; Cercospora 236; dead-arm 195, 381; Diplodia rot 381; downy mildew 143, 151, 157, 169, 196, 206, 228, 244, 292, 325, 336; frost injury 228; Glomerella cingulata 157; iron deficiency 354, 366; leaf spot (undet.) 404; little leaf (zinc deficiency) 381; Pierce's disease (alfalfa dwarf virus) 381; powdery mildew 151, 169, 196, 244, 281, 402; Rhizoctonia solani 283
---, bird: see Vitis munsoniana
---, muscadine: see Vitis rotundifolia
Graphiola phoenicis, 338
Grasses: bacterial leaf blights 308; ergot 212, 320; rusts 320
Grevillea: gummosis 272
Guar: Fusarium 353
Guava: see Psidium
Guayule: Fusarium 354; Phymatotrichum root rot 337; Phytophthora crown rot 337
Guignardia aesculi, 143, 270
--- bidwellii, see grape, black rot
Gummosis, on Grevillea (undet.) 272; laurelcherry (undet.) 275; peach (nonpar.) 348
Gymnoconia peckiana, 151, 195, 206, 227, 291, 325
Gymnosporangium clavipes, 141, 150, 156, 182, 194, 247, 253
--- exiguum, 337
--- globosum, 141, 283
--- juniperi-virginianae, 141, 150, 156, 164, 168, 182, 194, 205, 216, 226, 228, 236, 243, 253, 291, 301, 311, 324
--- libocedri, 394
Hamamelis virginiana: Gonatobotryum maculicola, 1st rept. in Fla., 272
Haywire, undet. (virus suspected), of potato, 281, 332, 343, 347
Heat canker (nonpar.), of flax 307, 340; plum fruit 157

Hedera: oedema (undet.), 216
Helianthus sp.: Puccinia helianthi 209. See also sunflower
Helminthosporium sp(p.), on barley 167, 210, 212, 213, 222, 278, 298, 305, 306; bermuda grass 264; corn 75, 246, 252, 282, 290; flax 213; sorghum 321; soybean 257; wheat 214, 215, 343
--- avenae, see Pyrenophora
--- bromi, 203
--- gramineum, 203, 213, 222, 298, 306, 310, 339, 343, 347, 376
--- maydis, 235
--- ocellum, 265, 270
--- oryzae, 282, 287, 333
--- papulosum, 142, 156, 164, 169, 182, 243
--- sativum, 198, 203, 204, 210, 213, 222, 278, 298, 305, 306, 307, 310, 322, 343, 348, 376
--- teres, 203, 222, 376
--- turcicum, 140, 162, 167, 171, 179, 181, 193, 204, 235, 242, 252, 278, 279, 289, 333, 334
--- vagans, 203, 214
Helminthosporium-like eye spot, on rice and witch-grass, 265
Hemp: southern blight, 253
Hendersonia rubi, 400
Heterodera marioni, on bean, 235, 251, 260, 277, 297, 352, 375; cabbage 276; cantaloup 328; carrot 153, 352, 373; celery 370; Chinese cabbage 351; clover 379; coffeeweed 264; collards 276, 327; cotton, 261, 280, 283, 293, 302, 337; cowpea 266, 279, 376; cucumber 173, 263; eggplant 264, 331; fig 335; gladiolus 283; koksaghyz 337; lima bean 330; okra 259, 276, 280, 351; parsley 234; pea 352; peach 334; peanut 259; pear 283; peony 209; pepper 327; pimiento 259; plum 353; potato 148, 332; pumpkin 159; roselle 269; rutabaga 351;
(Heterodera marioni) sage 354; soybean 256; strawberry 279, 335; sweetpotato 250, 277, 281, 329, 373; tobacco 238; tomato 175, 201, 240, 250, 260, 281, 286, 296, 319, 330, 352, 374; turnip 277; watermelon 352
--- rostochiensis, golden nematode of potato, 147 (wrongly listed as Ditylenchus dipsaci)
--- schachtii, on sugar beet 349
Heterosporium sp., on beet 389; carrot 391; onion 388
--- gracile, see Didymellina iridis
--- variabile, 332, 376, 394
Hollow heart, nonpar., of potato tubers 138, 347
Holodiscus witches' broom virus, description etc., 439
Honey Dew melon: anthracnose 345
Hopperburn (insect), of peanut 259; potato 189, 197, 202, 221, 241, 306, 309
Hops: anthracnose 151; downy mildew 151, 382, 395; missing hills 395; powdery mildew 151; sooty mold 151, 395; viruses, description etc., chlorotic disease 439, infectious sterility 440, mosaic 441, nettlehead 442; virus-like disease 151; winter injury 395
Hormodendron sp., on corn, 181
Horseradish: Alternaria 161; Colletotrichum 161; downy mildew 161; mosaic (virus) 397; virus symptoms 397; white rust 161, 397
Hydrangea: powdery mildew 350; virescence virus, description etc. 442
Hydrocotyle: Puccinia 272
Hydrophyllaceae: hosts for aster yellows virus 420
Hyoscyamus mosaic virus, description etc., 443
Hypochnus sasakii, 282
Hyptis: Puccinia 272

Ilex: Capnodium 272; Cercospora 272; Englerulaster 272;

(Ilex) Pestalotia 272; Phacidium 272; Phyllosticta 272; variegation virus, description etc., 445
Illosporium malifoliorum, 243
Impatiens: Ramularia 209
Insect injuries: to alfalfa 298, 333, 353; bean 264, 320; clover 399; corn 181, 323; gladiolus 209; potato 167, 343; soybean 255; velvet bean 266; See also Hopperburn
Intensity, of cereal rusts, methods for determining, 99
Internal breakdown, (nonpar.), of sweetpotato, 219
Ipomoea: Albugo 238; Cercospora 238; Coleosporium 238, 272; Puccinia 272
--- batatas: see sweetpotato
Iridaceae: hosts for Gladiolus mosaic virus 438; Iris mosaic virus 445
Irenina manca, 273
Iris: basal rot (Aphelenchoides) 337; bacterial leaf blight 216; bacterial root rot 209; Botrytis rhizome rot, 216; leaf spot 209, 216, 350, 382; mosaic (virus) 283, description of virus 445; rust 350; southern blight 337
Isariopsis clavispora, 269
--- griseola, 134, 251
Itea: Septobasidium 272; Tryblidiella 273

Jasminum variegation virus, description etc., 446
Johnson grass: anthracnose 265; Cercospora 265; rust 265
Jonathan spot, nonpar., of apple 341
Juglans regia: bacterial blight 379; basal rot (Phytophthora cactorum) 379; boron injury 379; girdle or black line (graft incompatibility) 379; little leaf (zinc deficiency) 379; Marssonia 163; Microstroma 379; Rosellinia root rot 379
Juniperus: conifer blight, undet., 337; Gymnosporangium exiguum 337
--- virginiana: Gymnosporganium juniperi-virginianae 228; Phomopsis sp., 228

Kabatiella caulivora, 204, 310
Kale: black leaf spot (Macrosporium) 389; black ring (virus) 371; powdery mildew 371; ring spot (Mycosphaerella) 371; yellows (Fusarium) 150, 172
Kudzu: See Pueraria

Labiatae: hosts for aster yellows virus 420; Prunella mosaic virus 466
Laburnum variegation virus, description etc. 447
Lagerstroemia: chlorosis 337; powdery mildew 283, 337
Lantana: Puccinia 273
Late blossoming, of apple, 164
Lathyrus odoratus: Fusarium root rot 350; powdery mildew 184, 350; Rhizoctonia root rot 184; sweetpea streak virus, description, etc., 447
Leaf curl, undet., of prune, 404
--- malformation, undet., of prune, 404
--- necrosis, nonpar., of carrot 391
--- roll, nonpar., of tomato, 188, 211
--- --- (virus), of potato, see host
--- spot, nonpar., of oats, 221
--- ---, undet., of grape, 404, Nyssa 274; prune 366, 404, soybean 257
--- ---, purple, undet., of sorghum 252
Leak, nonpar., of potato 138
Leguminosae, hosts for viruses: Atropa mosaic 417; Datura virosis 432; Laburnum variegation 447; Robinia brooming 469; sweetpea streak 447

Leonotus: Puccinia 273
Leptosphaeria coniothyrium, 164, 169, 183, 185, 228, 282, 325, 381, 383
--- salvinii, 287
Leptothyrium pomi, 205, 206, 208, 243, 247, 253, 291, 324
Lespedeza, annual: dodder, 249
Lettuce: anthracnose 373; aster yellows (virus) 132, 174, 187, 197, 329, 374, 392, 397; bacterial soft rot 385; big vein (virus) 352, 374; boron deficiency 374; damping-off (Pythium) 346; downy mildew 373, 385, 391; drop (Sclerotinia) 174, 329, 338, 352, 373, 385, 397; gray mold rot 174, 373, 385, 391, 397; mosaic (virus) 174, 346, 352, 385; root rot (Sclerotinia) 392, (undet.) 397; Septoria 132, 153; spotted wilt (virus) 374, 392; tipburn 346, 352; weather injury 385
---, Romaine: aster yellows (virus) 146
Ligustrum: chlorosis (nonpar.) 338; Phymatotrichum root rot 227; powdery mildew 283; Rosellinia root rot 382; variegation virus, description etc. 448
Liliaceae, as hosts for viruses: aster yellows 420; California aster yellows 423; Convallaria mosaic 428; lily rosette 449; Ornithogalum mosaic 457; tulip breaking 477
Lilium: Botrytis blight 209, 382; mosaic (virus) 209, 382; necrotic fleck (virus complex) 450; Phytophthora blight 216; Rhizopus bulb rot 338; rosette (yellow flat) (virus) 382, description of virus 449; symptomless virus, description etc. 450
Limnanthaceae: hosts for aster yellows virus 420
Liquidambar: Conopholis 273
Little leaf (zinc deficiency), see under deficiency diseases
Loasaceae: hosts for aster yellows virus 420
Lolium: Pullularia pullulans 395
Lonicera variegation virus, description etc. 451
Losses, from plant diseases, methods of appraising 99
Lupinus: Cercospora 265; Fusarium wilt 278; southern blight 278
Lyonia: Exobasidium 273; Phacidium 273; Pucciniastrum 273; Rhytisma 273

Macrophoma sp., on grapefruit 381; sugar beet 394
--- fici, 282
--- zeae, 181
Macrophomina phaseoli (see also Sclerotium bataticola), on bean 281, 320, 330; corn 301; cotton 269; cowpea 282, 289, 322, 334; lima bean 320; potato 320; soybean 256, 299, 333
Macrosporium sp., on beet 389; cabbage 390; carrot 391; cauliflower 390; kale 389; okra 152; onion 388; squash (fruit rot) 391
--- "giant type", on turnip 390
--- nigricantium, 336
--- parasiticum, see Stemphylium botryosum
Magnolia: chlorosis (nonpar.) 338; Meliola 273, 283; Phyllosticta 273
Malformed heads, undet. (? virus), of onion 388
Malvaceae, hosts for viruses: Abutilon variegation 412; California aster yellows 423; Delphinium ringspot 433
Manganese toxicity, to cotton, 283
Mangel: Cercospora 389; crown canker 389; Fusarium 389; Phoma 389; Ramularia 389; rust 389
Marssonia juglandis, 163
--- populi, 383
Marssonina panattoniana, 373
Martyniaceae: hosts for aster yellows virus, 420
Matthiola: viruses, description, hosts, etc., mild mosaic 451, severe mosaic 453

Measles (undet.), of apple 164
Measurement of disease losses, 99
Mechanical tuber injury, to potato, 398
Medicago arabica: Colletotrichum 281
Melampsora sp., on Populus, 283
--- lini, 213, 222, 307, 310, 340
--- medusae, 308, 311
--- occidentalis, 395
Melia: Cercospora, 273
Melilotus: blight (Mycosphaerella) 203; downy mildew 203; leaf spot and stem blight (Cercospora) 203; root rot (Phytophthora) 203; tobacco streak (virus) 248
--- alba: black stem (Ascochyta) 307; Phymatotrichum root rot 333
--- --- var. annua: Phymatotrichum root rot 333
--- indica: anthracnose (Colletotrichum) 282; white smut (Entyloma) 282
Meliola sp., on Osmanthus 274
--- amphitricha, 274, 283
--- bidentata, 270
--- cryptocarpa, 271
--- magnoliae, 273
--- nidulans, 271
--- palmicola, 276
--- tenuis, 274
Melons: seed treatment, 93
Mentha spp.: rust 209, 351, 382; Septoria 209
--- piperita (peppermint): anthracnose (Sphaceloma) 183, 199; rust 199; Verticillium wilt 199; winter injury 199
--- spicata (spearmint): anthracnose (Sphaceloma) 183; rust 183
Methods of appraising intensity and destructiveness of cereal rusts with particular reference to Russian work on wheat leaf rust, Suppl. 146, pp. 99-121
Microsphaera alni, 209, 267, 275, 283, 337
--- --- var. vaccinii, 143, 151
--- diffusa, 265
Microstroma juglandis, 337, 379
Monilinia spp., 394, 402
--- fructicola, 141, 149, 156, 163, 168, 169, 181, 194, 195, 198, 199, 205, 206, 216, 226, 227, 236, 242, 244, 252, 290, 291, 301, 302, 323, 324, 334, 378, 380, 381, 394
--- laxa, 205, 377, 378, 380, 381; in Wis., 205
Monilochaetes infuscans, 60, 159, 187, 234, 277, 281, 352, 373
Monosporium uredinicolum, 274
Moraceae, as hosts for viruses: aster yellows 420; hop chlorotic disease 439; hop infectious sterility 440; hop mosaic 441; hop nettlehead 442
Mosaic, undet., of sweetpotato, 187, 245, 250
---, virus, see under virus
Mucor, on corn mesocotyls, 75
Mulberry: Gercosporella 268; popcorn disease 283
Multiple bud, undet., of sugarcane 283
Musaceae: hosts for canna mosaic virus 426
Mustard: powdery mildew 351, 372, 386
Mycosphaerella sp., on carrot 391; pea 189
--- arachidicola 236, 269, 280, 292, 336
--- berkeleyi (Cercospora personata) 236, 269, 280, 283, 292, 325, 336
--- brassicicola, 276, 371, 389, 390
--- caryigena, 261, 267, 323
--- citrullina, 131, 153
--- fragariae, see strawberry, leaf spot
--- grossulariae, 150, 183, 227
--- lethalis, 203
--- linorum, 203, 210, 214, 222, 305, 307, 308, 310, 340, 376
--- louisianae, 283
--- pinodes, 201, 211, 375
--- pomi, 142, 156, 164, 169, 243

(Mycosphaerella) rubi, 335, 354
--- rubina, 228, 349
Myriangium sabaleos, 275
Myrica: galls (undet.), 273; Irenina 273

Nandina: chlorosis (nonpar.) 338; root gall (undet.) 338
Narcissus: basal rot (Fusarium) 382; bulb rot (Fusarium) 351; Stagonospora leaf scorch 382; viruses, description etc., mosaic 453, white streak 455
Nectarine: brown rot 156; chlorosis (nonpar.) 349; frost cracking of fruit 403; peach mosaic (virus) 349; peach yellows (virus) 242; powdery mildew 402; scab 156
Needle blight (probably nonpar.), of white pine, 238, 244
Nematode (undet.), causing beet gall, 239
Nematospora coryli, 256, 319, 321
Neofabraea malicorticis, 142
--- perennans, 402
Nerium: oleander variegation virus, description etc. 456; Sphaeropsis 273
Nigrospora oryzae, 225, 300, 312, 316
--- sphaerica, 156, 181, 193, 311
Nonpar. trouble, of bean, 346
Nummularia discreta, 226
Nursery stock, source of peach leaf curl, 348
Nyctaginaceae: hosts for aster yellows virus, 420
Nyssa: leaf spot (undet.), 274

Oats: blast (nonpar.) 221; blotch 167, 177, 221; covered smut 139, 167, 177, 190, 198, 202, 212, 221, 298, 306, 309, 339, 343, 347; crown rust 139, 148, 167, 177, 190, 198, 202, 210, 212, 221, 241, 278, 298, 306, 309, 317, 332, 343, 347, 376; foot rot 221; Fusarium 212, 221; halo blight 167, 202, 210, 212, (Oats) (halo blight) 308, 309, 343; Helminthosporium 167, 177, 212, 221; leaf spot (? nonpar.) 221; loose smut 139, 167, 177, 190, 198, 202, 212, 221, 241, 278, 298, 306, 309, 332, 339, 343, 347, 353; powdery mildew 298; Pythium 221; root necrosis 221, 298; root rot 212; scab 221; seedling blight 212; stem rust 139, 148, 167, 190, 202, 210, 212, 221, 241, 298, 306, 309, 332, 339, 343, 347, 361, 376, 399, race 8 in Minn. 210
Oedema (undet.), of ivy, 216
Oidium sp., on oak 275; petunia 217; squash 391
--- erysiphoides var. crotalariae, 264
Okra: Cercospora 276; Fusarium wilt 259, 276, 351; Macrosporium 152; Phyllosticta 276; rootknot 259, 276, 280, 351
Oleaceae, as hosts for viruses: Fraxinus variegation 437; Jasmine variegation 446; Ligustrum variegation 448
Olive: dieback (boron deficiency) 379; fruit spot (Cercospora) 379, (undet.) 379; olive knot 379; peacock spot 379
Onagraceae, as hosts for viruses: aster yellows 420; California aster yellows 423
Onion: anthracnose see smudge; Ascochyta (on inflorescence) 388; aster yellows (virus) 370, 388; bacterial soft rot 171, 217, 318, 406; bacterium assoc. with rot 405, 406; basal bulb rot 344, 405; ? big bud (virus) 388; black mold (Aspergillus) 370, 406; blasting of seed heads 406; Botrytis on stems and florets 388; bulb rot (various) 318; charcoal rot 370; damping-off 345, control 44; disease dissemination 407; downy mildew 127, 144, 196, 280, 326, 344, 370, 388; fungi on stems and florets 388;

(Onion) Fusarium bulb rot 318, 326, 344, 356, 405; Fusarium moniliforme, 405, 406, 1st rept. in Idaho, 405; Fusarium root rot 127; gray mold rot 370; Heterosporium 388; leaf or tip blight (nonpar.) 326; Macrosporium 388; malformed heads (? aster yellows or big bud virus) 388; neck rot (Botrytis spp.) 199, 296, 318, 344, 368, 405, mycelial and small sclerotial, 1st repts. in Idaho 405; new diseases in Idaho 405; Penicillium rot 405; pink root 127, 165, 171, 185, 196, 326, 344, 351; Pseudomonas alliicola 217, ? 406; purple blotch (Alternaria porri) 326, 344; scald (nonpar.) 165; scaly onions (undet.) 406; seed treatment studies 39; smudge 127, 144, 199; smut, control by seed treatment, 39; smut, occurrence, 127, 144, 165, 171, 185, 196, 199, 218, 344; soft puffy rot, bacterium and Fusarium assoc., 406; soft rot following scald 165; sourskin (Botrytis allii) 406; Stemphylium on inflorescence and stem 388; Stemphylium botryosum (leaf break) 152, (stalk rot) 280; storage 405, 406; white mold (Sclerotium) 326; yellow dwarf (virus) 370, 388
Ophiobolus sp., on barley 222
--- graminis, 298, 376, 377
Ophiodothella vaccinii, 276
Opuntia: Perisporium 274
Ornamentals: as source of spotted wilt virus infection 374; viruses described on, 410
Ornithogalum: mosaic virus, description etc. 457; southern root rot 382
Osmanthus: Capnodium 274; Meliola 274; Phyllosticta 274
Ovularia, on Panicum, 265
Ovulinia azaleae, 283, 382

Paeonia: see peony
Panicum: eye-spot 265; Ovularia 265
Papaveraceae, as hosts for viruses: aster yellows 420; California aster yellows 423
Parsley: aster yellows (virus) 375; rootknot 234; stunt (virus) 161
Parsnip: aster yellows (virus) 201, 375; Cercospora 134, 146, 154; Cylindrosporium 201; Ramularia 134, 392
Paspalum: Puccinia levis 265
Passifloraceae: viruses, description etc., Passiflora fruit woodiness 459, Passiflora variegation 459
Pea: anthracnose 201; Aphanomyces root rot 189, 201, 220, 339; Ascochyta blights 201, 211, 281, 375, 386; Ascochyta leaf and pod spot 189; Ascochyta root rot 346; bacterial blight 201, 211, 339, 346, effect of hail storms, 339; cold injury 264; cracking (weather) 320; damping-off 189, 320; downy mildew 201, 375; Fusarium root rot 135, 166, 201, 220, 342, 346, 352, 375, 386; Fusarium wilt 201, 211, 386; mosaic (virus) 201, 375, 386; Mycosphaerella 189, 201, 211, 375; near-wilt (Fusarium) 201, 211; powdery mildew 135, 201, 281, 320, 331, 339, 342, 346, 375, 386; Pythium (damping-off, root rot) 220, 320, 346, 386; Rhizoctonia (damping-off, root rot) 220, 264, 320, 346, 386; rootknot 352; root rots 135, 166, 189, 201, 220, 264, 320, 339, 342, 346, 352, 375, 386; rust 342; scab (Cladosporium) 375, 386; seed decay (Fusarium) 166, (undet.) 189; seed treatment studies 11, 93, 94; Septoria blotch or leaf spot 201, 375; streak (virus) 201; virus disease undet. 386

(Pea) Austrian winter: Ascochyta blight 278; downy mildew 278
Peach: Armillaria root rot 378; arsenic poisoning, systemic, 403; bacterial spot 141, 163, 168, 181, 194, 226, 246, 252, 290, 301, 323, 334, varietal reaction 163; bark splitting 404; blackheart (Verticillium) 378; brown rot 141, 149, 156, 163, 168, 181, 194, 199, 226, 236, 242, 252, 290, 301, 323, 334, 378, 394; buckskin (virus) 378; calico (transmissible) 403; chlorosis (nonpar.) 334, 348, 353, 363, 378; constriction disease (Phoma) 163; Coryneum blight 348, 363, 378, 401; crowngall 348, 353; Cytospora canker 399; Dematium 399; drought injury 236; dying of trees (undet., ? borers) 252; frost injury 163, 236, 242, 246, 284, 301, 323; golden net (virus) 348; gummosis (nonpar.) 348; immature fruits 353; leaf curl 149, 168, 181, 194, 226, 301, 323, 348, 378, 399, 402, on nursery stock 348; little leaf (zinc deficiency) 378; little peach (virus) 163, 168; mosaic (virus) 348, 353, 363, 378, in almond (inoculation) 348, in nectarine 349, in symptomless carriers 363; mottle (virus) 403; nitrogen deficiency 353; Phymatotrichum root rot 353; powdery mildew 226, 348, 378, 402; Rhizopus rot 348, 402; ring spot (virus) 378; rootknot 334; rough bark (cherry virus) transmitted to peach 404; rough bark (undet.) 404; rust 378; rusty spot (undet.) 404; scab 149, 156, 163, 168, 194, 226, 290, 301, 323, 378; Sims spot (undet.) 378; spray injury 163, 246; sun scald cankers 363; Valsa canker 168, 199; wart (virus) 353, 403; Western X-disease (virus) 348, 355, 363, 364, 403, 404;
(Peach) white heart rot (Poria) 348; winter injury 141, 163; X-disease (virus) 149; yellow bud or Winters mosaic (virus) 378; yellows (virus) 156, 168, 236, 242
Peanut: Alternaria 259; bacterial wilt 259, 279; Cercospora 236, 257, 260, 269, 280, 283, 292, 325, 336, control with dusting 269; charcoal rot 336; Diplodia 269, 292, 325; drought injury 317; fungi on pods 237; Fusarium 325; hopperburn 259; nut rots 237, 258, 269, effect of rotation 237; peg rot 258, 259; Penicillium 258; Phyllosticta 260; Phymatotrichum root rot 354; Rhizoctonia 269, 292, 325; Rhizopus 258; rootknot 259; root rot 292, 325; southern blight or wilt 236, 253, 258, 260, 280, 283, 292, 336, 354; stem rot 325; Trichoderma 258
Pear: Armillaria root rot 283; black end (graft incompatibility) 381; black rot (Physalospora) 324, 335; black spot, see Fabraea; blast (Pseudomonas) 381; blue mold 402; brown rot 381; Cercospora leaf spot 283, 335; chlorosis (iron deficiency 366, 381; Clitocybe root rot 283; Fabraea 142, 169, 283, 324, felty fungus (Septobasidium) 283; fireblight 150, 169, 195, 206, 283, 325, 335, 349, 353, 380, 402, erratic behavior in Idaho 402; phosphorus deficiency 349; rootknot 283; rust (Gymnosporangium libocedri) 394; scab 169, 206, 324, 341, 381, 394; sooty blotch 150; stony pit (fruit pitting; virus) 381; twig blight (Corticium salmonicolor) 283
Pecan: brown spot (Cercospora fusca) 261, 282, 323, bunch (virus) 282;

(Pecan) downy spot (Mycosphaerella) 261, 267, 323; frosty mildew (Cercosporella) 267; mistletoe 267; nursery blight (Elsinoë) 267; Pestalotia 267; Phymatotrichum root rot 353; powdery mildew 267; rosette (zinc deficiency) 261, 335, 353; scab 261, 267, 282, 323, 335; vein spot (Gnomonia) 282, 324
Pelargonium: bacterial leaf spot 184, 382; gray mold 184; viruses, description etc., leaf curl 460, mosaic 461
Pellicularia filamentosa, Pellicularia stage, on potato 393
--- ---, Rhizoctonia solani stage, 34, 47, 53; on alfalfa 353, 377; bean 154, 251, 260, 281, 330, 375, 385; beet 308; broccoli 371; cabbage 218, 371; carnation 184; coffeeweed 264; corn 282; cotton 283, 302; cowpea 282, 334, 376; gladiolus 337; grape 283; Lima bean 188, 375; pea 220, 320, 346, 386; pepper 263, 372; potato see host; radish 176; soybean 155, 224; strawberry 279, 301; sugar beet 207, 216, 228, 344, 349, 356, 381; sweetpea 184; tobacco 143, 238; tomato 277, 329, 374 See also Rhizoctonia sp.
--- koleroga, 266, 282
Penicillium sp(p.), on apple 324; asparagus (assoc. with root rot) 388; citrus 335; corn 156, 181, 193, 204, 300; cranberry 206; onion 405, 406; peanut 237, 258; watermelon 285
--- digitatum, 378
--- expansum, 402
--- gladioli, 382
--- italicum, 378
Pennisetum: Helminthosporium ocellum 265
Peony: Botrytis blight 209, 217, 351; Cladosporium 209; mosaic virus, description etc., 458; Phytophthora blight 217;
(Peony) powdery mildew 209; rootknot 209
Peperomia ring spot virus, description etc. 462
Pepper: Alternaria (early blight, fruit rot, fruit spot, leaf spot) 152, 158, 285, 318, 327, 342, 345, 372; anthracnose 145, 152, 158, 280, 327; bacterial spot 129, 158, 172, 186, 200, 281, 327; bacterial wilt 233, 281; blossom-end rot (nonpar.) 129, 186, 351; Cercospora blight or leaf spot 158, 262, 280, 327; curly top (virus) 327, 351; dodder 327; drought injury 158; fruit rot undet., 158; fruit rots (various) 263; Fusarium wilt 152, 158, 186, 280, 285, 327, 351; mosaic (virus) 129, 145, 152, 158, 172, 186, 233, 263, 281, 327, 345, 351, 372, 385, cucumber virus 372, tobacco virus 145, 152, 186, 372; Phytophthora blight, root rot, 345, 372, 385; Rhizoctonia root rot 263, 372; ring spot (virus) 345; rootknot 327; Sclerotinia collar rot 372; southern blight 249, 280, 285, 327; spotted wilt (virus) 152, 372; sun scald, 129, 152, 159, 172, 249, 327, 351; Verticillium wilt 145, 285, 318, 327, 372, 385; virus diseases 158; wet soil injury 262; wilt undet. 158
---, pimiento: see Pimiento
Peppermint: see Mentha piperita
Perisporium wrightii, 274
Peronospora antirrhini, 382
--- destructor, 127, 144, 196, 280, 326, 344, 370, 388
--- effusa, 139, 235, 320, 332, 376, 386, 399
--- manshurica, see soybean, downy mildew
--- parasitica, 128, 129, 145, 161, 218, 233, 262, 280, 327, 371, 372, 375, 384, 390

(Peronospora) pisi, 201, 278, 375
--- schachtii, 371, 381, 383, 394
--- tabacina, 168, 237, 248, 261
--- trifoliorum, 203, 223, 343, 347, 353, 361, 368
--- viciae, 282
Persea humilis: Phyllosticta 274
Pestalotia sp., on apple 268
--- annulata, 272
--- funerea, 276
--- uvicola, 267
Petunia: mosaic (virus not specified) source for tomato infection, 240; petunia mosaic virus, description etc., 463; powdery mildew 217
Phacidium curtisii, 272
--- nigrum, 273
Phleum pratense: bacterial leaf spot 223; brown leaf stripe (Scolecotrichum) 203, 223; ergot 212; stem rust 203, 223; stripe smut 203, 223
Phlox: powdery mildew 185, 283; streak virus, description etc., 464
Phlyctaena linicola, see Mycosphaerella linorum
Phoenix canariensis: false smut (Graphiola) 338
--- dactylifera: false smut 338
Phoma sp., on sugar beet 394; wild turnip 391
--- betae, 128, 207, 216, 228, 349, 381, 389
--- destructiva, 329
--- lingam, 129, 145, 152, 185, 200, 210, 211, 218, 276, 277, 351
--- persicae, 163
--- terrestris, 127, 165, 171, 185, 196, 280, 326, 344, 351, 373
--- trifolii, 204
Phomopsis sp., on blueberry (gall) 151; Juniperus 228
--- vexans, 135, 147, 154, 161, 189, 201, 235, 264, 281, 331
Phoradendron flavescens, on various hosts, 267, 274, 275; parasitized by Septobasidium 274; (Phoradendron flavescens) Sphaeropsis 274; Tryblidiella 274
Photinia: fireblight 343; scab 383
Phragmidium sp., on rose 209, 351, 383
--- imitans, 394, 400
--- speciosum, 217, 275
Phyllachora graminis, 202
--- pastinacae, 201
Phyllactinia corylea, 271
Phyllody, undet., of Bromus 221
Phyllosticta sp., on squash 153
--- antirrhini, 184
--- batatas, 234, 260, 263, 277, 281, 286
--- glauca, 273
--- glycineum, 235
--- hibiscina, 276
--- ilicicola, 272
--- magnoliae, 273
--- micropuncta, 274
--- phaseolina, 260
--- prunicola, 238
--- sinuosa, 274
--- solitaria, 169, 182, 194, 205, 226, 243, 247, 253, 291, 301
--- straminella, 135, 147, 154
--- tabifica, 239
--- viticola, 261
Phymatotrichum omnivorum, 293, 325, 330, 331, 333, 334, 335, 336, 337, 338, 352, 353, 354, 377
Physalospora obtusa, 142, 150, 156, 164, 169, 182, 194, 205, 226, 236, 247, 253, 291, 302, 324, 335
--- rhodina, 267
--- zeae, 181
Physarum cinereum, 281
Physoderma zeae-maydis, 181, 279, 282, 290
Physopella fici, 282, 335
Phytolaccaceae: Phytolacca mosaic virus, description etc., 464
Phytomonas dissolvens, 300
Phytophthora sp(p.), on almond 377; avocado 380; guayule 337;

(Phytophthora) lilac 217; lily 216; peony 217; rhubarb 251; sugar beet 356
--- cactorum, on apple 243; rhubarb 320; strawberry 226, 301, 353; sweetclover 203; walnut 379
--- capsici, on cucurbits 345; pepper 345, 372, 385; tomato 346
--- citrophthora, 378
--- erythroseptica, 137
--- fragariae, 168, 182, 194, 291, 349, 394, 400
--- infestans on Solanum sarachoides 376; see also late blight under potato and tomato
--- megasperma, 371, 384, 385
--- parasitica, on belladonna 381; citrus 268, 378; tomato 175, 187, 200, 234, 240, 251, 297, 329, 358, 374
--- --- var. nicotianae, 238, 248
--- phaseoli, 146, 240
--- richardiae, 383
Picea: Chrysomyxa cassandrae 199
Pimiento: anthracnose 259; bacterial spot 259; blossom-end rot (nonpar.) 259; Cercospora blight 259; mosaic (virus) 259; ripe rot (Vermicularia) 259; rootknot 259; southern blight 260
Pinus: Armillaria root rot 217; brown spot (Systremma) 283; chlorotic dwarf (undet.) 238, 244; Cronartium fusiforme 274; needle blight (? nonpar.) 238, 244
Piperaceae: hosts for Peperomia ring spot virus 462
Piricularia sp., on Stenotaphrum, 333
--- grisea, 203
--- oryzae, 282, 287, 333
Pittosporaceae: Pittosporum variegation virus, description etc., 465
Plant disease surveys in the Northeastern United States in 1943, Suppl. 147, pp. 125-229
(Plant disease surveys) in the Southeastern United States in 1943, Suppl. 148, pp. 233-302
--- in the Western United States in 1943, Suppl. 149, pp. 305-407
Plantaginaceae, hosts for viruses: aster yellows 420; California aster yellows 423
Plasmodiophora brassicae, 128, 129, 145, 152, 165, 175, 200, 211, 218, 239, 390, 396
Plasmopara viticola, 143, 151, 157, 169, 196, 206, 228, 244, 269, 292, 325, 336, 381
Platanus: Gnomonia 383; Stigmina 383
Pleioblastus: Meliola 274; Puccinia 274
Pleospora herbarum, 281
Pleurotus ulmarius, 350
Plum (including prune); Armillaria root rot 380, 400; bacterial canker (Pseudomonas) 380; bacterial spot, bacterial blight (Xanthomonas) 169, 182, 206, 227, 302; black knot 205, 227; blue mold 402; brown rot 206, 227, 302, 380; chlorosis (iron deficiency) 366, (undet.) 404; Coryneum blight 401; crowngall 353; diamond canker (virus) 380; dieback (potassium deficiency) 380; drought spot 403; frost injury to fruit 403; heat canker of fruit 157; late foliation 403; leaf curl (undet.) 404; leaf deformity (transmissible) 403, 404; leaf malformation (undet.) 404; leaf spot (Coccomyces) 157, 182, 216; leaf spot (undet.) 404; leaf spot or mottle (undet.) 366; little leaf (zinc deficiency) 380; peach mosaic, a symptomless carrier, 363; Phymatotrichum root rot 353; pockets 206, 227, 308; Rhizopus rot 402; rootknot 353; rust 380, 394; scab 205
--- wild: black knot 349;

(Plum, wild) plum pockets 349
Plum-cherry hybrid; brown rot blossom blight, 216
Plumbaginaceae: hosts for aster yellows virus, 420
Plumeria: Phymatotrichum root rot 338
Poa pratensis: Calonectria graminicola 214; Claviceps purpurea 203; Erysiphe graminis 203, 223; Helminthosporium vagans, 203, 214; Puccinia graminis 223, poae-sudeticae 203, 214, rubigovera 203; Septoria sp. 203, macrooda 223; Typhula itoana 214; Ustilago striaeformis 203, 242
Pod spot, undet., of soybean, 311, 313
Podosphaera sp(p.), on apple, 349, 402
--- leucotricha, 353, 365, 379
--- oxyacanthae, 227, 341, 349, 351
Polemoniaceae, hosts for viruses: aster yellows 420; phlox streak 464
Polycodium: Pucciniastrum 275; Rhytisma, 275
Polygonaceae, hosts for viruses: aster yellows 420; California aster yellows 423; dock mosaic 473
Polygonum: Ustilago utriculosa 209
Polyporus sulphureus, 382
Polyspora lini, 307
Populus: Cytospora 308; Marssonia 383; Melampsora 283, 308, 311, 395; Taphrina 383
Poria sp., on peach, 348
Portulacaceae: hosts for aster yellows virus, 420
Postal regulations affecting shipment of pre-treated seed, 88, 96
Potato: Alternaria tuber rot 211, 305; aster yellows virus 421, 424, see also purple-top wilt; bacterial ring rot 136, 147, 154, 161, 166, 197, 201, 241, 281, 306, 309, 339, 342, 347, 352, 359, 375, 393, 398; bacterial soft rot 147, 177, 241, 278,
(Potato) (bacterial soft rot) 331, 347; bacterial wilt 162, 278, 281; blackleg 136, 154, 166, 189, 197, 202, 212, 220, 297, 306, 309, 339, 342, 347, 352, 359, 393; blue stem see purple-top wilt; brown (bacterial wilt) rot 162; "bulls" 138; calico (virus) 148 (?), 347, 361, 393; California aster yellows virus 424; charcoal rot 320, 332; cracking of tubers 320, see also growth cracks; drought injury 162; dry rot 398; early blight 136, 147, 154, 161, 166, 176, 197, 202, 211, 220, 241, 278, 281, 305, 309, 331, 342, 347, 352, 375, tuber rot 211, 305; enlarged lenticels 320; frost injury 138, 202; Fusarium rot 398; Fusarium seedpiece decay 347; Fusarium wilt 136, 148, 154, 166, 197, 202, 220, 278, 297, 306, 309, 342, 347, 352, 359, 369; giant hill (undet.) 155, 347; growth cracks 138, 347; hopwire (undet.) 281, 332, 343, 347; Heterodera rostochiensis, golden nematode, 147 (wrongly listed as Ditylenchus dipsaci); hollow heart 138, 347; hopperburn 189, 197, 202, 221, 241, 306, 309; insect injury 167; internal bruise of tubers 398; jelly-end rot 347; late blight 137, 155, 162, 166, 171, 177, 189, 197, 201, 210, 212, 220, 235, 241, 251, 281, 305, 306, 309, 320, 331, 347, 375, 393, 398; leafroll (virus) 137, 155, 162, 167, 177, 189, 197, 202, 212, 220, 235, 241, 281, 306, 332, 343, 347, 359, 369, 393, 398; leak 138, 241; meadow nematode 251; mosaic (virus, unspecified) 197, 212, 220, 235, 241, 281, 309, 343, 359, 369, 376; ---, severe (rugose) 138, 281, 347, 361, 398; ---, veinal (mild) 138,

(Potato, mosaic, veinal) 202, 281, 306, 347, 361, 393, 398; mouse ear (undet.) 155; net necrosis (virus) 138, 398; Pellicularia filamentosa, perfect stage, 393; pink rot 137; powdery dry rot 347; powdery scab (Spongospora) 137; psyllid yellows 343, 352, 361; purple-top wilt or blue stem (aster yellows virus) 138, 197, 212, 241, 306; Pythium 241, 281; Rhizoctonia 136, 154, 162, 166, 177, 197, 202, 212, 220, 241, 297, 306, 309, 320, 332, 339, 343, 347, 352, 359, 369, 375, 393, control 47, 53; rootknot, 148, 332; scab 135, 154, 161, 166, 176, 189, 197, 201, 211, 220, 240, 278, 281, 297, 305, 309, 331, 339, 342, 346, 352, 359, 369, 375, 393, 398, control 47, 54; second growth of tubers 352; seed disinfectants 46; seedpiece decay 220, 347, control 50, 53; seed treatment studies 46; silver scurf (Spondylocladium) 202, 241, 398; southern blight 278, 281, 332, tuber rot 281, spindle sprout (undet.) 202; spindle tuber (virus) 138, 155, 177, 198, 202, 212, 220, 235, 241, 252, 281, 309, 332, 343, 347; sprain (undet.) 138, 202; stem end browning (undet.) 139; stem necrosis (nonpar.) 138; storage rots 398; sun burn, sun scald, 139, 202, 347; tipburn (nonpar.) 139, 220; tuber discoloration after cooking 202; tuber rot (undet.) 312; Verticillium wilt 359, 369, 376; virus diseases (see also under individual diseases) 167, 177, 220, 355, 393, 398, virus disease problem 368; weather injury 320; wet rots 398; wet weather injury 297; wilts 368, as pathological problem 355; yellow dwarf (virus) 155, 198, 202, 235

Potentilla: Ramularia arvensis 209

Pox, of tomato fruit, 330

Pratylenchus pratensis (meadow nematode), on corn 334; fig 379; potato 251

Primula: bacterial leaf spot 383; mosaic virus, description etc., 466

Primulaceae, hosts for viruses: aster yellows 420; Primula mosaic 466

Privet: see Ligustrum

Prunella mosaic virus, description etc., 466

Prunus: Taphrina sp. 311

--- caroliniana: gum exudation 275

--- cerasifera: Coryneum blight 401

--- serotina: Phyllosticta 238; Tranzschelia 238

--- virginiana: black knot 144; powdery mildew 351

Pseudomonas spp., on bean, 211

--- alliicola, 217; ? 406

--- andropogoni 204, 282, 310, 314, 322, 333

--- angulata 168, 207, 247

--- coronafaciens, 167, 202, 210, 212, 308, 309, 343

--- --- var. atropurpurea, 212, 221, 309

--- delphinii, 208, 216

--- erodii, 184

--- glycinea, 149, 155, 162, 203, 223, 255, 278, 282, 288, 321, 333

--- holci, 214, 224, 288, 299, 310, 322, 353

--- lachrymans, 130, 131, 153, 166, 200, 391

--- maculicola, 128, 259, 371

--- marginata, 184, 208, 283, 350, 382

--- medicaginis, 178

--- medicaginis var. phaseolicola, 134, 147, 154, 189, 201, 240, 265, 281, 339, 342, 346, 358

--- pisi, 201, 211, 339

--- primulae, 383

(Pseudomonas) primulae, 383
--- solanacearum, 160, 162, 165, 175, 233, 238, 259, 261, 264, 277, 278, 279, 281, 329
--- syringae (see also P. holci), 146, 154, 204, 224, 261, 279, 289, 322, 377, 380, 381
--- tabaci, 168, 207, 247, 254
--- tomato, 329
--- trifoliorum, see P. syringae
Pseudoperonospora cubensis, 130, 131, 132, 159, 200, 234, 263, 281, 285, 318, 328, 372
--- humuli, 151, 382, 395
Pseudopeziza medicaginis, see alfalfa, leaf spot
--- ribis, 150, 206, 402
--- trifolii, 140, 149, 155, 224
Pseudoplea briosiana, 203
--- trifolii, 148, 282
Psidium guajava: anthracnose ripe rot 268
Psyllid yellows, of potato 343, 352, 361; tomato 352, 374
Ptelea variegation virus, description etc. 467
Puccinia anomala, see barley, leaf rust
--- antirrhini, 184, 208, 350, 382
--- asparagi, 128, 144, 152, 157, 165, 199, 218, 345, 370, parasitized by Darluca filum, 157
--- convolvuli, 208
--- coronata, 139, 148, 167, 177, 190, 198, 202, 210, 212, 221, 241, 278, 298, 306, 308, 309, 317, 332, 343, 347, 376
--- crassipes, 272
--- dispersa, see P. rubigo-vera var. secalis
--- emiliae, 271
--- glumarum, 103, 117
--- graminis, losses in Russia 117; occurrence on barberry 350; on barley 140, 148, 167, 177, 190, 198, 203, 210, 222, 242, 298, 306, 310, 340, 343, 347; on grasses 202, 221, 223, 309
--- --- var. avenae, 139, 148, 167, 190, 202, 210, 212, 221, 241, 298, 306, 309, 332, 339, (Puccinia graminis) (var. avenae) 343, 347, 361, 376, 399
--- --- var. phlei-pratensis, 203, 223
--- --- var. secalis, 167, 203, 214, 223, 310, 343, 347
--- --- var. tritici, 167, 180, 189, 192, 204, 210, 215, 224, 235, 242, 299, 307, 311, 322, 334, 340, 348, 350, 362, 369, 377
--- grossulariae, 206, 227
--- helianthi, 143, 207, 209, 228
--- hieracii, 372
--- hydrocotyles, 272
--- hyptidis, 272, parasitized by Darluca filum 272
--- hyptidis-mutabilis 272
--- iridis, 350
--- lantanae, 273
--- leonotodis, 1st record in U.S., 273
--- levis, 265
--- malvacearum, 208, 350
--- melanocephala, 274, parasitized by Monosporium uredinicolum, 274
--- menthae, 183, 199, 209, 351, 382
--- peridermiospora, 143, 308, 311
--- phragmites, 375
--- poae-sudeticae, 203, 214
--- purpurea, 204, 242, 265, 282
--- rubigo-vera, 202, 203, 309
--- --- var. secalis, see rye, leaf rust
--- --- var. tritici, on barley 225; on wheat, see host, leaf rust
--- schedonnardi, on cotton, see P. stakmanii
--- sorghi, 181, 193, 204, 225, 246, 252, 266, 282, 290, 301, 311, 313, 316, 348, 377
--- stakmanii, 336, 354
--- triticina, see P. rubigo-vera tritici
--- xanthii, 276
Pucciniastrum agrimoniae, 208

(Pucciniastrum) goeppertianum, 143
--- myrtilli, 143, 273, 275
--- pustulatum, 208
Pucker leaf, undet., of sweet cherry, 404
Pueraria thunbergiana: bacterial leaf spot (halo blight) 265
Pullularia pullulans, 395
Pumpkin: Choanephora, on roots of wilt-affected plants 159; downy mildew, 132, 159; Fusarium wilt 159; mosaic (virus) 352; powdery mildew 132, 145, 352; rootknot 159
Pyracantha: chlorosis 338
Pyrenopeziza medicaginis, 162, 190, 203, 223, 298, 333, 340, 362
Pyrenophora (Helminthosporium) avenae, 167, 177, 212, 221
Pythium sp(p.), 37, 60; on barley 222, 298; bean 281, 330, 375; beet 199; Bromus 221; cabbage 218; cantaloup 219; corn 73, 75, 225, 290, 348; cucumber (cottony leak) 281; flax 222; lima bean (cottony leak) 320; oats 221, 298; pea 220, 320, 346, 386; potato (leak, tuber rot) 241, 281; rye 299; sorghum 348; soybean 214, 224; sugar beet 207, 228, 344, 349; sweet-potato (mottle necrosis) 373; tomato 374; watermelon 173, 186, 218; wheat 225, 299
--- acanthicum, 218
--- aphanidermatum, 308
--- arrhenomanes, 156 (?), 193, 288, 321, 333
--- butleri, 349
--- debaryanum, 34, 73, 148, 345, 346
--- ultimum, 11, 34, 174, 187, 219, 308
Quamoclit vulgaris: Coleosporium ipomoea 275
Quercus spp.: blister leaf (Taphrina) 338; twig blight (Coryneum, Diplodia) 338; mistletoe 275; powdery mildew 275; squaw root (Conopholis americana) 275; tar spot (Trabutia) 275; (Quercus spp.) undet. trouble 244; wood-rotting fungi 275

Radish: black root (Aphanomyces) 176; boron deficiency 375; downy mildew 375; stem rot (Rhizoctonia) 176; white rust 375
Ramularia sp., on borage 382
--- areola, 276
--- arvensis, 209
--- betae, 389, 395
--- celastri, 208
--- coleosporii, 271
--- cynarae, 373, 385
--- impatientis, 209
--- pastinacae, 134, 392
--- taraxaci, 209
Ranunculaceae, hosts for viruses: aster yellows 420; California aster yellows 423; delphinium ring spot 433; peony mosaic 458
Raspberry: anthracnose 142, 150, 157, 164, 169, 183, 195, 206, 216, 227, 244; chlorosis (iron deficiency) 366; crowngall 150, 157, 169, 195, 206, 227; Didymella 150, 157, 164, 206; Leptosphaeria 164, 169, 183, 228, 325; mosaic (virus) 143, 157, 206, 216, 228, 244, 308, 349, 366, 400, 403; Mycosphaerella 228, 349; orange rust (Gymnoconia) 151, 206, 227; powdery mildew 151; Septoria 151, 157, 228; Sphaerulina 183, 195, 216; Verticillium wilt, 151, 164; virus diseases 169, 195; winter injury 183, 228, 349; yellow late rust (Phragmidium) 394, 400
Resedaceae, hosts for viruses: aster yellows 420; Matthiola mosaic virus, mild 451, severe 453
Red spider injury, 251, 319, 320
Rhamnaceae: hosts for Rhamnus variegation virus 468
Rhamnus: crown rust 308; variegation virus, description etc., 468

Rhizoctonia sp(p.), (see also Pellicularia filamentosa, R. solani stage), 60; on bean (root rot) 134, 392, 397; (stem canker) 201; beet 199; cabbage 262, 371; corn 75; cowpea 266; flax 213; pea 264; peanut 325; Stenotaphrum (brown patch) 333; strawberry 215, 226; tomato (soil rot of fruit) 392
--- crocorum, 298
--- microsclerotia, 281, 282
--- oryzae, 282
--- solani, see Pellicularia filamentosa, R. solani stage
Rhizopus sp., on Lilium 338; peanut 237, 258; squash 132; sweetpotato 329; watermelon 285
--- nigricans, on apple 402; carrot 153; cherry 402; corn 193; peach 348, 402; prune 402; squash 145, 153; strawberry 279, 353, 402; sweetpotato 160, 174, 187, 219, 234, 281, 352; tomato 374
Rhododendron (including Azalea): bud blight (Sporocybe) 395; flower blight (Botrytis) 382, (Ovulinia) 283, 382; hypertrophy (Exobasidium azaleae) 283; leaf curl (E. vaccinii) 382; leaf spot (Septoria) 382
Rhubarb: crown rot (Phytophthora) 251, 320; leaf spot (Phyllosticta) 135, 147, 154; mosaic (virus) 375; rust 375
Rhus: Cercospora 275; gall, undet., 273
Rhynchosporium secalis, 203, 213, 376
Rhytisma acerinum, 270, 382
--- andromedae-ligustrinae, 273
--- punctatum, 382
--- vaccinii, 275
Ribes spp.: Cronartium ribicola 206. See also currant, gooseberry
Rice: banded sclerotial disease (Hypochnus) 282; blast (Piricularia) 282, 287, 333; brown spot (Helminthosporium oryzae) 282, 287, 333; Cercospora 282, 287, 333; (Rice) eye-spot (Helminthosporium - like) 265; leaf smut (Entyloma) 282, 287, 333; sheath spot (Rhizoctonia) 282; stem rot (Leptosphaeria) 282, 287; straighthead (nonpar.) 287, 333; sun scald 288; white tip (undet.) 282, 287
Ricinus communis: gray mold 269; leaf spot (Alternaria) 337; root rot (Phymatotrichum) 337
Ring spot, undet., of sweet cherry, 404
Robinia brooming virus, description etc., 468
Root branching, nonpar., of carrot 132
Root rot complex, root rot(s) undet., of apple 363; asparagus 388; broccoli 384; carrot 385; corn 313, 316; lettuce 397; strawberry 141, 168; sugar beet 198, 356; wheat 180
Rosa spp., cultivated rose: black spot 185, 209, 228, 338, 351, 383; chlorosis (nonpar.) 338; crowngall 209, 228, 351, 383; Leptosphaeria (cane blight, stem canker) 185, 383; powdery mildew 185, 209, 228, 283, 338, 351, 383; root rot (Phymatotrichum) 338; rust 209, 217, 351, 383; stem canker (undet.) 338; viruses, description etc., mosaic 470, streak 471, wilt 472
--- palustris: Phragmidium 275
Rosaceae, hosts for viruses: aster yellows 420; flowering cherry rough bark 467; Holodiscus witches' broom 439; rose mosaic 470; rose streak 472; rose wilt 472; Sorbus variegation 475
Roselle: rootknot 269; southern blight 337
Rosellinia necatrix, 379, 382
Rosette, of apple (nonpar.) 403; pecan (zinc deficiency) 261, 335, 353; tomato (undet.) 330
Rot, undet. soft, of cabbage 259; carrot 397; onion 406
Rough bark, undet., of peach 404

(Rough bark) canker, undet., of apple 404
Rubiaceae: hosts for Cephalanthus mosaic virus, 427
Rubus (see also blackberry etc.): Irenina 275; Septoria 209
Ruffle leaf (? genetic), of tobacco, 238
Russet, of apple fruit 142, 216; of bean pods 397
Russian work on wheat leaf rust, review, 99
Rusty spot (undet.), of peach 404
Rutabaga: Alternaria leaf spot and dry rot 210; black rot 128, 199, 210; blackleg 210; boron deficiency 199, 233; Cercosporella (white) leaf spot 128; Fusarium dry rot 210; powdery mildew 351, 389; rootknot 351
Rutaceae: hosts for Ptelea variegation virus 467
Rye: anthracnose 203; bacterial blight 223, 310, 353; ergot 167, 178, 203, 214, 223, 242, 299, 307, 310, 340, 347; leaf rust 167, 178, 190, 203, 214, 223, 299, 307, 310; loose smut (Ustilago) 190, 223, 299; root necrosis (Pythium) 299; scab 167, 203; stem rust 167, 203, 214, 223, 310, 343, 347; stem smut (Urocystis) 167, 190, 203

Sabal: Ganoderma zonatum 275; Myriangium sabaleos on S. etonia, new host, 275
Safflower: see Carthamus tinctorius
Sage: see Salvia
Salsify: aster yellows (virus) 202, 376; white rust 343, 347, 376
Salvia officinalis: rootknot 354
Saxifragaceae: hosts for Hydrangea virescence virus, 442
Scab undet., of horse bean 376
Scald, nonpar., of onion 165
Scaly onion, undet., 406
Schinus: Armillaria root rot 383; heart rot (Fomes) 383; Phymatotrichum root rot 338
Schizophyllum commune, 349
Sclerotinia sp., on lettuce 392, 397; zinnia 395
Sclerotinia americana, see Monilinia fructicola
--- camelliae, 382
--- carunculoides, 283
--- gladioli, 337
--- homoeocarpa, 139
--- sclerotiorum, on almond 377; apricot 380; bean 277, 342; broccoli 371; brussels sprouts 372; cabbage 280, 327, 351, 371, 390; celery 345, 370, 383; Chinese cabbage 351; citrus 378; endive 351, 372, 385; lettuce 174, 329, 338, 352, 372, 373, 385; strawberry 226; sunflower 395, 399; tomato 297
Sclerotium sp., on onion (white mold) 326
--- bataticola (see also Macrophomina phaseoli) on bean 281, 286; citron 328; corn 193, 290, 312, 314, 316, 323, 348; cowpea 376; crotalaria 333; mung bean 319; onion 370; peanut 336; potato 332; sorghum 289, 312, 314, 321, 333; soybean 178, 282, 288, 312, 314, 321; sugar beet 381; sweetpotato 174, 187, 281, 329, 373
--- cepivorum, 280
--- rolfsii, on bean 277, 281, 331; beet 326, 389; cabbage 277; cantaloup 328; carrot 328, 373, 391; clover 279; cowpea 279, 282, 334; Dichondra 382; eggplant 281, 287, 331; hemp 253; iris 337; lima bean 281; lupine 278; Ornithogalum 382; peanut 236, 253, 258, 260, 280, 283, 292, 336, 354; pepper 249, 280, 285, 327; pimiento 260; potato 278, 281, 332; roselle 337; soybean 256, 278, 282; sugar beet 381; sugarcane 283; sweetpotato 60, 281, 352; tobacco 238; tomato 234, 260, 277, 281, 329
Scolecotrichum graminis, 202, 203

(Scolecotrichum graminis) 223
Scrophulariaceae: hosts for aster yellows virus 420
Second growth, of potato tubers, 352
Seed certification: for tomato bacterial canker, 175
--- crop diseases, 356
--- --- problems, 387
--- decay, of pea, 189
Seed treatment: commercial practice 93; effectiveness 94; pretreatment of packeted seed 80, 92, regulations affecting 88, 96; stimulatory effect of Spergon 53; uniform treatment recommendations 87
--- --- studies: 1-97; fungicides tested 5, 46, 63
Seedling disease complex, of sugar beet, 168
Selenophoma bromigena, 203, 212, 309
Septobasidium mariana, 283
--- pseudopedicellatum, 274
--- sinuosum, 272
--- sydowii, 337
Septoria sp(p.) on cane fruits 402; celery 172, 396; citrus 378; lettuce 153; Poa pratensis 203
--- ampelina, 268
--- apii, 127, 144, 152, 157, 165, 199, 218, 345, 351, 370, 383, 388
--- apii-graveolentis, 196, 388
--- atropurpurea, 208
--- azaleae, 382
--- bataticola, 281
--- bromi, 203
--- chrysanthemella, 184
--- cucurbitacearum, 130, 132
--- gladioli, 208
--- glycines, 224, 256
--- lactucae, 132
--- linicola, see Mycosphaerella linorum
--- lycopersici, see tomato, Septoria blight
--- macropoda, 223
--- menthicola, 209
(Septoria) nodorum, 140, 167, 180
--- pisi, 201, 375
--- rubi, 150, 151, 157, 209, 228, 292, 381, 394
--- tritici, 180, 215, 225, 279, 300, 311, 334, 348
Serenoa: Meliola 276
Sesame: bacterial foliage and stem blight, 333
Setaria: Piricularia grisea 203; Ustilago neglecta 203
Shallot: pink root 280; stunting and yellowing (probably virus) 280; white rot 280
Shoulder blotch (nonpar.), of tomato fruit, 330
Sida: Ramularia 276
Sims spot (undet.), of peach, 378
Sitona hispidula, 298
Smilax: Capnodium 276; Cercospora 276; Pestalotia 276
Soil conditions (see also deficiency diseases): injury to carrot 391
--- ---, acidity injury to cotton 283
--- ---, boron injury to walnut 379
--- ---, manganese toxicity, to cotton 283
Soil treatment, for onion damping-off control, 44
Solanaceae, as hosts to viruses: Anthurium mosaic 417; aster yellows 421; Atropa mosaic 417; California aster yellows 424; cineraria streak 475; Datura mosaic 431; Datura quercina 431; Datura virosis 432; Delphinium ring spot 433; Hyoscyamus mosaic 443; Matthiola severe mosaic 453; peony mosaic 458; Petunia mosaic 463
Solanum sarachoides: Phytophthora infestans 376
Sonchus arvensis: aster yellows (virus) 144
Sorrus variegation virus, description etc., 475

Sorghum: anthracnose (graminicolum) 282, 321, (lineola) 252, 265, 278; Ascochyta leaf spot 265, 278, 282; bacterial spot 224, 288, 322; bacterial streak 288, 312, 314, 322, 353; bacterial stripe 282, 310, 314, 322, 333; Cercospora 246, 265, 282; charcoal rot (dry root rot) 289, 312, 314, 321, 333; Fusarium head mold 266; Fusarium seedling infection 321, 348; head molds 266; Helminthosporium blight 235, 278, 321, 333; kernel smut, covered (sorghi) 204, 224, 288, 310, 312, 314, 321, 333, 348, 362, hybrid (?) 322, loose (cruenta) 224, 321; milo disease (see also Pythium arrhenomanes) 288, 314, 321; purple leaf spot (undet.) 252; Pythium 333, 348; Pythium arrhenomanes (see also milo disease) 288, 321, 333; root rot (Pythium) 333; rust 242, 266, 282; seedling blight 321, 348; sooty stripe (Titaeospora) 282; stem infection (Fusarium) 321; weak neck (genetic) 312, 314; zonate spot (Gloeocercospora) 265, 282
Sorosporium reilianum, 395
--- syntherismae, 203
Sour clover: see Melilotus indica
Soybean: Alternaria 148, 155, 235, 257; anthracnose 168, 178, 191, 198, 223, 256, 265, 288, 312, 314, 321; ashy stem blight 333, see also charcoal rot; bacterial blight 149, 155, 162, 203, 223, 255, 278, 282, 288, 299, 321, 333; bacterial pustule (pustular spot) 162, 168, 171, 178, 191, 198, 203, 214, 224, 235, 242, 254, 265, 282, 288, 299, 310, 311, 313, 321, 333, 353, var. reaction 255; bacterial wildfire 191; brown spot (Septoria) 224, 256; bud blight, see top necrosis; charcoal rot (dry root rot) 178, 256, 282, 288, 299, 312, 314, 321, see also ashy stem blight;
(Soybean) damping-off 214, 224; Diaporthe pod and stem blight 168, 178, 191, 198, 223, 256, 278, 282, 288, 299, 313, 320; downy mildew 149, 155, 168, 171, 178, 191, 198, 203, 223, 256, 278, 288, 299; drought injury 162, 254, 255; frog-eye leaf spot (Cercospora sojina) 149, 162, 168, 178, 191, 198, 235, 255, 265, 278, 282, 288, 320; frost injury 198, 224; Fusarium sp. on roots 155; Fusarium wilt 178, 256, 288, 321; Helminthosporium assoc. leaf spot 257; leafhopper injury 255; leaf spot (undet.) 257; mosaic (virus) 140, 149 (pea virus 1), 168, 179, 191, 204 (dwarfing and mottling types), 214, 224, 255, 278, 282, 288, 312, 314, 321; Phyllosticta glycineum 235; Phymatotrichum root rot 333; pod and stem spot (undet.) 311, 313; purple spot of seed (Cercosporina) 178; Pythium 214, 224; Rhizoctonia 155, 224; root knot 256; root necrosis 224; seed decay 214; seed failure 265; seed treatment studies 22, 76; seedling blight 214; southern blight or wilt 256, 278, 282, effect of borer injury 256; Sphaceloma sp., 155; stem spot (undet.) 257, 311, 313; top necrosis or bud blight (tobacco ring spot virus) 168, 179, 191, 224, 299; undetermined diseases 257; virus diseases 168, 198; white stem spot (undet.) 257; wildfire (bacterial) 191; yeast spot 256, 321
Spearmint: see Mentha spicata
Sphaceloma sp., on soybean 155
--- ampelinum, 336
--- fawcettii, see Elsinoë
--- menthae, 183, 199
--- symphoricarpi, 209
Sphacelotheca sp., ? hybrid, on sorghum, 322

(Sphacelotheca) cruenta, 224, 321
--- sorghi, 204, 224, 288, 310, 312, 314, 321, 333, 348, 362
Sphaerella linorum, see Mycosphaerella
Sphaeronema-like fungus, on Vitis, 268
Sphaeropsis sp., on Nerium, 273
--- visci, 274
Sphaerotheca humuli, 151, 185, 228, 379
--- --- var. fuliginea, 209
--- mors-uvae, 150, 206, 216, 227, 402
--- pannosa, 209, 228, 283, 338, 351, 383
--- --- var. persicae 226, 348, 378, 402
Sphaerulina rubi, 151, 157, 183, 195, 216
Spinach: Alternaria leaf spot 320; anthracnose 332; aster yellows (virus) 332; chlorosis (nonpar.) 332; curly top (virus) 332; damping-off 148; downy mildew 139, 235, 284, 320, 332, 376, 386, 399; frost injury 284; Fusarium root rot 352; Fusarium wilt 332; Heterosporium leaf spot 332, 376, 394; mosaic (virus) 332, 376, 386; seed treatment studies 26, 93, 94; spotted wilt (virus) 376; white rust 332
Spindle sprout (undet.) of potato 202
Spiraea: chlorosis (nonpar.) 338
Spondylocladium atrovirens, 202, 241, 398
Spongospora subterranea, 137
Sporocybe azaleae, 395
Sprain (undet.), of potato, 138, 202
Spray injury, various, to apple 164, 247; fruit trees 403; peach 163, 246
Squash (all types): Alternaria (fruit rot, leaf blight) 131; angular leaf spot (bacterial) 131; anthracnose 131, 153; aster yellows (virus) 132;
(Squash) (all types) bacterial wilt 131, 159; Choanephora blossom blight and fruit (brown) rot 131, 159, 186, 263; curly top (virus) 352; downy mildew 131, 234, 263, 328, 372; frost injury 263; fruit rots 391; Fusarium fruit rot 391; Fusarium foot rot, root rot, wilt, 131, 159, 345, 352; Macrosporium fruit rot 391; mosaic (virus) 132, 145, 153, 263, 328, 345, 352, 372, 385, (aphid-transmitted virus) 372, (beetle-transmitted virus) 372, (cucumber virus) 153, 263; Mycosphaerella 131 (leaf spot), 153 (fruit spot); Phyllosticta 153; powdery mildew 131, 145, 234, 328, 352, 372, 385, 391, control with sulfur dust 385; Rhizopus rot 132, 145, 153; scab 131; Septoria 132; sun scald 132
Stagonospora sp., on Bromus 221; clover 224, 279
--- curtisii, 382
--- meliloti, 148, 377
Stem canker (undet.), of rose 338
--- end browning (undet.), of potato tubers, 139
Stem necrosis (nonpar.), of potato 138
--- rot (undet.), of buckwheat, 162
--- spot (undet.) of soybean 257, 311, 313
Stemphylium sp., on beet, 389; carrot 391; onion 388
--- botryosum, 152, 280
--- radicinum, 396
--- sarcinaeforme, 148, 149, 155, 204
--- solani, 160, 330
Stenotaphrum: Piricularia 333; Rhizoctonia (brown patch) 333
Stigmina platani, 383
Stimulatory effect, of Spergon seed treatment, 53
Stizolobium deeringianum: Cercospora 266; potash deficiency 266; velvet bean caterpillar 266

Stone fruits (see also individual hosts): bacterial spot 335; crowngall 335; virus diseases 355
Straighthead (nonpar.), of rice, 287, 333
Strawberry: angular spot (Dendrophoma) 215, 279, 291, 324; black root complex (see also root rot) 205, 349; crown rot (Rhizoctonia) 279, (Sclerotinia) 226; drought injury 290; dwarf (Aphelenchoides) 283; dwarf, summer, 335; frost injury 226, 284; fruit rots (various) 301, 353; gray mold (Botrytis) rot 226, 279, 283, 301, 402; hard brown rot (Rhizoctonia) 226, 279, 301; iron deficiency 353; leaf scorch (Diplocarpon) 205, 283, 335, 402; leaf spot, common (Mycosphaerella fragariae) 141, 168, 182, 194, 205, 226, 279, 283, 291, 301, 308, 324, 335, 349, 353, 363, 379, 402; leaf spot, purple (M. louisianae) 283; leaf spots, various, 341; leak (Rhizopus rot) 279, 353, 402; leather (Phytophthora) rot 226, 301, 353; mosaic (? virus, not June yellows) 226; powdery mildew 279, 379; red stele 168, 182, 194, 291, 349, 394, 400, infection of resistant vars., 194; root knot 279, 335; root rots (see also black root) 141, 168, 215; stem nematode (Ditylenchus dipsaci) 279; Verticillium wilt 379; winter injury 215; xanthosis see yellow-edge; yellow-edge or xanthosis (virus) 349, 379, 394, 400; yellows (Hereditary variegation; genetic) 341
Studies on vegetable seed treatments in 1943, Suppl. 145, pp. 1-97
Stylar-end rot, of citrus (lime), 267
Sudan grass: anthracnose 204; bacterial spot 204, 214, 310, 353;
(Sudan grass) Helminthosporium blight 162, 179, 204; kernel smut, covered, 204; rust 204
Sugarcane: chlorotic streak (virus) 283; eye-spot 270; mosaic (virus) 261, 270, 280, 283, 337; multiple bud (undet.) 283; pokkah-boeng 283; red rot 261, 280, 283; root rot (Pythium) 283; sheath rot (Cytospora, Sclerotium rolfsii) 283
Sunflower: boron deficiency 399; powdery mildew 143, 207, 228; rust 143, 207, 228; Sclerotinia stem rot 395, 399
Sun scald, sun burn, non par., of cucumber 131; pepper 129, 152, 159, 172, 249, 327, 351; potato 139, 202, 347; rice 288; squash 132; tomato 153, 219, 245, 251, 286, 297, 309, 346
--- --- canker, of peach, 363
Survey methodology, 99
Sweetclover: see Melilotus
Sweetpotato: black rot 159, 174, 187, 219, 245, 250, 260, 281, 285, 319, 329, 352, 373; charcoal rot 174, 187, 281, 329, 373; drought injury 160, 317, 319; dry rot (Diaporthe) 174, 277; Fusarium stem rot or wilt (blue stem) 159, 174, 187, 219, 234, 245, 250, 260, 277, 281, 286, 319, 329, 373; Fusarium surface rot 174, 187, 219, 329; internal breakdown (nonpar.) 219; Java black rot (Diplodia) 277, 281, 318; mosaic (undet.) 187, 245, 250; mottle-necrosis (Pythium) 174, 219, 373; Phoma terrestris 373; Phyllosticta 234, 260, 263, 277, 281, 286; Phymatotrichum root rot 352; pox or soil rot (Actinomyces) 159, 173, 187, 234, 281, 329; Rhizopus rot 160, 174, 187, 234, 281, 329, 352; ring rot (Pythium) 174, 187; root cracking, 160; root knot 250, 277, 281, 329, 373, increase in Tenn. 250;

(Sweetpotato) scurf 159, 187, 234, 277, 281, 352, 373; seed treatment studies 60; Septoria 281; soil rot, see pox; southern blight 281, 352; storage diseases 174; white rust 263
Symphoricarpos: anthracnose 209; scab 209
Syringa vulgaris: Phytophthora blight 217; powdery mildew 209
Systremma acicola, 283

Tabebuia witches'-broom virus, description, etc., 476
Tagetes: aster yellows (virus) 209
Taphrina sp., on Prunus besseyi, 311
--- aurea, 383
--- caerulescens, 338
--- communis, 308
--- deformans, 149, 168, 181, 194, 226, 301, 323, 348, 378, 399, 402
--- pruni, 206, 227, 349
Taraxacum kok-saghyz: rootknot 337
--- officinale: Ramularia 209; Sphaerotheca 209
Ternstroemiaceae: hosts for Camellia yellow spot virus, 426
Thielavia, on peanut pods, 237
Thielaviopsis basicola, 168, 207, 238, 277, 375
Thuja: chlorosis (nonpar.) 338
Thymelaeaceae: hosts for Daphne mosaic virus, 430
Tilia: squaw root 276
Tilletia spp., on wheat, 204, 322, 377
--- caries, 215, 225, 300, 307, 340, 343, 348, 362, 369
--- --- special race, short bunt of wheat, 362
--- foetida, 167, 180, 192, 215, 225, 300, 307, 311, 340, 343, 348, 362, 369
--- levis, see T. foetida
--- tritici, see T. caries
Tipburn (nonpar.), of lettuce 346, 352; potato 139, 221
Titaeospora andropogonis, 282
Tobacco: angular leaf spot or blackfire 168, 207, 247; bacterial black stalk 249; bacterial spots, control, 247; bacterial (Granville) wilt 165, 238, 261; black root rot 168, 207, 238; black shank 238, 248; brown root rot (undet.) 207, 238; downy mildew 168, 237, 248, 261; drought injury 165; frenching 207; frog-eye 254; Fusarium wilt 249; heat injury 248; mosaic (virus) 143, 165, 207, 238, 248, 254; phosphorus deficiency leaf spot 249; potash hunger 207, 249; ring spot (virus) 165, 238, 254; rootknot 238; ruffle leaf (prob. genetic) 238; sore shin (Rhizoctonia) 143, 238; southern blight 238; squaw root 254; streak (virus) 207, 248, carry-over in sweetclover 248; wildfire 168, 207, 247, 254
Tomato: anthracnose 133, 146, 153, 166, 175, 187, 197, 200, 211, 245, 277, 296; aster yellows (virus) 176, 187; bacterial canker 133, 160, 166, 175, 187, 197, 277, 281, 296, 319, 329, 339, 346, 355, 357, 374, distribution with plants 166; bacterial soft rot 245, 250, 357; bacterial speck 329; bacterial spot 153, 175, 219, 277, 296, 309; bacterial wilt 160, 175, 277, 281, 329; big bud (virus) 374; blossom-end rot (nonpar.) 134, 161, 166, 197, 200, 219, 234, 240, 260, 277, 281, 286, 297, 305, 319, 330, 342, 346, 352, 357, 392; buckeye rot 175, 187, 200, 234, 240, 251, 297, 329, 358, 374; catface (nonpar.) 211; chlorosis (nonpar.) 330; curly top (virus) 330, 346, 352, 355, 358, 374, 365, 392; damping-off (Pythium) 374; dodder 374; drought injury 161, 286, 296;

(Tomato) early blight (Alternaria) 38, 133, 146, 153, 160, 166, 175, 187, 200, 219, 234, 239, 245, 250, 260, 263, 277, 281, 296, 329, 346, 352, 374, 385; early blight stem canker 175; fruit cracking 161, 297; fruit pox (undet.) 154, 330; fruit rots (various) 219, 297; Fusarium wilt 133, 160, 166, 175, 187, 197, 200, 219, 234, 239, 245, 250, 260, 277, 281, 286, 296, 297, 319, 329, 339, 346, 352, 374; gray mold rot 277; late blight 133, 146, 160, 211, 219, 234, 239, 251, 374, 385, 392; leaf mold 133, 146, 153, 160, 166, 175, 187, 201, 239, 297, 346, 374, in outdoors plantings 146, 153, 160; leaf roll (nonpar.) 188, 211; lightning injury 240; mosaic (virus) 134, 146, 153, 160, 176, 187, 188, 197, 219, 234, 240, 251, 277, 281, 286, 297, 319, 330, 346, 358, 374, aucuba 330, 346, cucumber 146, 188, 234, 330, from petunia 240, tobacco 134, 146, 153, 234, yellow 358; nailhead spot 146, 329; Phoma rot 329; phosphorus deficiency 352; Phytophthora capsici fruit rot 346; psyllid yellows 352, 374; red spider injury 251, 319; Rhizopus canker and fruit rot 374; ringspot type of virus disease in Col. 346; rosette (undet.) 330; root knot 175, 201, 240, 250, 260, 281, 286, 296, 319, 330, 352, 374; Sclerotinia (drop) 297; seed treatment studies 36; Septoria blight 133, 146, 153, 160, 166, 171, 175, 187, 197, 200, 211, 219, 234, 240, 277, 286, 296, 305, 308, 309, 319, 385; shoulder blotch of fruit (nonpar.) 330; soil rot (various) 329, 374, 392; southern blight or wilt 234, 260, 277, 281, 329; spotted wilt (virus) 197, 330, 346, 352, 374, (Tomato) (spotted wilt) 385, in ornamental hosts as source of infection 374; stem rot (Rhizoctonia) 277; Stemphylium (gray leaf spot) 160, 330; streak (virus) 134, 330, double-virus 146, 385, single-virus 176, streak and ring spot type of virus disease 342; sun scald 153, 219, 245, 251, 286, 297, 309, 346; tip blight (virus) 240, 392, as limiting factor 392; transplant dissemination of diseases 175, 197; Verticillium wilt 134, 160, 166, 346, 355, 357, 385, 392; virus diseases 166

Trabutia erythrospora, 275

Tranzschelia pruni-spinosae, 238, 377, 378, 380, 394

Trichoderma, on corn 74, 75; peanut 258

--- lignorum, 378

Trifolium spp.: powdery mildew 140, 162, 395; rust 140

--- dubium: powdery mildew 282

--- hybridum: powdery mildew 395

--- pratense: anthracnose (Colletotrichum) 278, (Kabatiella) 204, 310; bacterial spot 204, 224; black stem 204; Cercospora spot 171, 179, 191, 204; insect injury 399; mosaic 224, 368, common pea virus 149; poor stands 399; powdery mildew 149, 155, 204, 224, 278, 282, 368, 395; Pseudopeziza leaf spot 140, 149, 155, 224; rust 149, 155, 204, 395; sooty blotch (Cymadothea) 149, 204, 224; Stagonospora 224; Stemphylium 149, 155, 204

--- repens: Botrytis 279; Cercospora 279, 282; powdery mildew 395; Pseudoplea leaf spot 282; root knot 279; sooty blotch 204, 282; southern blight 279; Stagonospora 279

Tropaeolum: spotted wilt (virus) 383

Tryblidiella fusca, 274

(Tryblidiella) rufula, 273
Tuber rot, undet., of potato 312
Tulipa spp.: Botrytis blight 185, 209, 251; breaking (virus) 209, description, etc., of virus, 476
Tumor, undet., of apricot, 380
Tungoil, tung tree: see Aleurites
Turnip: Alternaria leaf spots 372, 385; black rot 277; Cercosporella (white) leaf spot 158, 390; Colletotrichum leaf spot 277; crown rot, undet., 368; downy mildew 372; Macrosporium sp. ("giant type"), leaf spot, 390; mosaic (virus) 158, 277, 372; Phoma leaf spot 391; Phyllosticta leaf spot 239; powdery mildew 351, 357, 368, 390; ring spot (virus) 390; rootknot 277
---, wild: Alternaria leaf spot 391
Typhula spp., snow rot of cereals, 361, 362
--- itoana, 214

Ulmaceae, hosts for viruses: elm mosaic 481; elm phloem necrosis 482
Ulmus: Gnomonia 229, 317
Umbelliferae, hosts for viruses: aster yellows 421; California aster yellows 424
Uncinula necator, 151, 169, 244, 283, 381, 402
Undetermined: diseases of fruit trees 401; of soybean 257; fungus on corn mesocotyls and roots 74, 75; nematode causing beet gall 239; trouble of oak 244
Urocystis cepulae, see onion, smut
--- occulta, 167, 190, 203
Uromyces betae, 370, 371, 381, 384, 389, 395, 396; necrosis around pustules 389; parasites 389, 396
--- caryophyllinus, 184, 350
--- fabae, 282, 342
--- phaseoli var. typica, see bean, rust.
(Uromyces phaseoli) var. vignae, 334
--- proeminens var poinsettiae 275
--- striatus var. medicaginis, 203, 223, 281, 287, 320, 333, 353, 377
--- trifolii, 140, 149, 155, 204, 395
Urophlyctis alfalfae, 377
Ustilago sp(p.), on barley 203, 242, 278; rye 223, 299
--- avenae, see oats, loose smut
--- bromivora, 347
--- hordei, see barley, covered smut
--- intermedia, 222, 298
--- jensenii, see barley, covered smut
--- kolleri, see oats, covered smut
--- maydis, see corn, smut
--- medians, 310
--- neglecta, 203
--- nigra, 177
--- nuda, see barley, loose smut
--- striaeformis, 203, 223, 242
--- tritici, on rye 190; on wheat see wheat, loose smut
--- utriculosa, 209
--- zeae, see corn, smut
Ustulina vulgaris, 268

Valerianaceae: hosts for aster yellows virus, 421
Valsa leucostoma, 168, 199
Vegetables: seed crop diseases 356; seed treatment studies 1-97
Venturia inaequalis, on apple, see apple, scab; on flowering crab, 394
--- pyrina, 169, 206, 324, 341, 381, 394
Vermicularia capsici, 359
Vernonia: Coleosporium 276
Verticillium sp., on cantaloup 130; peppermint 199
--- albo-atrum, on almond 377; apricot 365; belladonna 381; cane fruits 151, 164, 381; chrysanthemum 184; cotton see host; cowpea 376;

(Verticillium albo-atrum), eggplant see host; peach 378; pepper see host; potato 359, 369, 376; snapdragon 184; strawberry 379; sugar beet 350; tomato see host
Vetch: see Vicia
Vicia sp(p.): anthracnose 282; Ascochyta 279, 282; downy mildew 282; mosaic (virus) 377
--- faba: boron deficiency 282; rust 282; mosaic (virus) 376; scab (undet.) on pods 376; spotted wilt (virus) 376
Virus diseases, of cherry 365, 366; fruit crops 394, 403; ornamental and miscellaneous plants 410-482, for list see p. 411; pea 386; pepper 158; potato see host; raspberry 169, 195; soybean 168, 198; stone fruits 355; tomato 166; symptoms on crucifers 390
---, aster yellows, description of virus, hosts, etc., 418; occurrence on Asclepias 208; carrot 132, 187, 200, 328, 346; celery 152; China aster 208, 350; endive 173, 186, 327; lettuce 132, 146, 174, 187, 197, 329; marigold 209; parsnip 201; potato (purple-top wilt) see host; romaine 146; salsify 202; Sonchus arvensis 144; spinach 332; squash 132; tomato 176, 187
---, --- ---, California strain, description of virus, hosts, etc., 423; occurrence on broccoli 394; cabbage 371; carrot 373, 388, 391; cauliflower 384; celeriac 370; celery 370, 388; endive 372; lettuce 374, 392, 397; onion 370, 388; parsley 375; parsnip 375; salsify 376; zinnia 395
---, big bud, on onion (?) 388; tomato 374
---, big vein, of lettuce, 352, 374
(Virus diseases), black ring, of crucifers, 371, 372, 384
---, breaking, of tulip, description of virus, hosts, etc. 477, occurrence 209
---, brown blight, of lettuce, 174
---, buckskin, of cherry, 380; peach, 378
---, bunch, of pecan, 282
---, calico, of celery 370, 388; peach 403; potato 148 (?), 347, 361, 393
---, chlorotic streak of sugarcane, 283
---, crinkle, of cherry, 380
---, curly top, on bean 331, 342, 352; beet 326, 351, 370, 384; chard 351; pepper 327, 351; spinach 332; squash 352; sugar beet see host; tomato see host
---, diamond canker, of prune 380
---, dwarf, of alfalfa, 377
---, false blossom, of cranberry, 206
---, fly speck, of crucifers, 390, 396
---, golden net, of peach, 348
---, lace leaf, of cherry, 365, 404
---, leaf deformity, of prune, 403, 404
---, leaf roll, of potato, see host
---, little peach, of peach, 163, 168
---, mosaic (see also p. 411, for ornamentals, etc.) of alfalfa 347, 353, 362; almond 348, 377; apple 142; apricot 363, 380; bean, see host; beet 326; cantaloup, see host; celery 345, 368, 370, 388; chard 371; cherry 349; chick pea 372; chrysanthemum 350; clover 149, 224, 368; corn 282; cowpea 255, 282, 334, 389; crucifers, see hosts; cucumber see host;

(Virus diseases, mosaic), Cucurbita moschata 328; dahlia see host; eggplant 135; fig 379; gladiolus, see host; horse (broad) bean, 376; Iris see host; lettuce 174, 346, 352, 385; lily see host; lima bean 240; nectarine 349; pea 201, 375, 386; peach see host; pepper, see host; petunia 240, 463; pimiento 259; plum 363; potato see host; pumpkin 352; raspberry see host; rhubarb 375; soybean see host; spinach 332, 376, 386; squash see host; strawberry 226; sugar beet see host; sugarcane see host; tobacco see host; tomato see host; vetch 377; watermelon 218; wheat 180
---, mottle, of peach 403
---, mottle-leaf, of cherry 403
---, necrotic fleck, of lily 450
---, necrotic ring spot, of cherry in Wis., 205
---, net necrosis, of potato, 133, 398
---, Pierces' disease (Medicago virus 3), of grape, 381
---, psorosis A, of citrus 353
---, purple-top wilt, of potato see host
---, rasp leaf, of cherry 349, 365, 403
---, ring pox (ring spot) of apricot 349
---, ring spot, of almond 377; peach 378; tobacco 165, 238, 254, see also soybean, top necrosis; tomato 342, 346
---, --- --- or lace leaf, of sweet cherry 365
---, rosette, of lily 382, virus descr. etc. 449
---, rough bark canker type, transmitted to peach from cherry 404
---, rusty mottle, of sweet cherry 365 (?)

(Virus diseases), savoy, of sugar beet 228, 350
---, spindle tuber, of potato see host
---, spotted wilt, carry-over hosts 383; on calceolaria 382; calla 383; celery 370; chicory 372; dahlia 382, 429; horse bean 376; lettuce 374, 392; nasturtium 383; pepper 152, 372; spinach 376; tomato see host; zinnia 383
---, stony pit, of pear, 381
---, streak, of pea 201; tobacco 207, 248; tomato see host
---, streak and ring spot, of tomato 342
---, stunt, of blueberry 151; parsley 161
---, stunting and yellowing, of shallot 280
---, tip blight, of tomato 240, 392
---, top necrosis, of soybean, see host
---, wart, of peach 353, 403
---, western-X disease, of peach, see host
---, witches'-broom, of alfalfa 353
---, X disease, of peach and chokecherry, 149
---, yellow-bud or Winters' mosaic, of peach 378
---, yellow dwarf, of onion 370, 388; potato 114, 155, 202, 235
---, yellow-edge (xanthosis), of strawberry, 349, 379, 394, 400
---, yellows, of eggplant 339; of peach, on almond 242, nectarine 242, peach 156, 168, 236, 242; of sour cherry 205

Virus like, virus suspected, disease of hops 151
---, haywire, of potato, 281, 332, 343, 347
---, malformed heads, of onion 388
---, red node, of bean 342, 346

(Virus like), symptoms in celery 376
---, wilting disease of sweet cherry, 365, 366
---, witches'-broom, of bean 352; lima bean 352
Viruses described primarily on ornamental or miscellaneous plants, Suppl. 150, pp. 410-482
Vitis (see also under grape)
--- californica: downy mildew 381
--- munsoniana: black rot leaf spot 268
--- rotundifolia: black rot 283; black rot leaf spot 268; Rhizoctonia solani 283; Septoria leaf spot 268; Sphaeronema-like leaf blotch 268
--- rufotomentosa: Diplococcum (?) on leaves 269; downy mildew 269
--- vulpina: leaf blotch (Isariopsis) 269

Walnut, Persian: see Juglans regia
Watermelon: Alternaria blight 159, 173, 281, 328, 352; anthracnose 129, 173, 186, 218, 249, 285, 318, 328, 352; Aspergillus 285; bacterial wilt 159; blossom-end rot 173, 186, 218, 285, 318; damping-off 218; downy mildew 328; Fusarium wilt 173, 186, 218, 249, 281, 285, 318, 328, 372; mosaic (virus) 218; Penicillium 285; Rhizopus 285; rootknot 352; wilt, undet., 391
Water-spot, nonpar., of orange, 378, 379
Weak-neck (genetic), of sorghum 312, 314
Weather, in Ark. 284; Fla. 262; Ind. 169; Iowa 217; Mo. 294; New England 126; N. Dak. 305; Ohio 165; Okla. 317
--- injury to lettuce 385;
(Weather injury), to potato 320; sugar beet 198
--- ---, cold, to carrot 263; grapefruit 378; pea 264
--- ---, drought, to apple 164; corn 162, 246, 284, 317; cotton 284, 292, 293, 317; peach 236; peanut 317; pepper 158; potato 162; soybean 162, 254; strawberry 290; sweet-potato 160, 317, 319; tobacco 165; tomato 161, 286, 396
--- ---, frost, to apple see under apple; cabbage 262; cherry 205, 227, 302; cucumber 200; eggplant 264; fruits 403; grape 228; peach see under peach; potato 138, 202; soybean 198, 224; spinach 284; squash 263; strawberry 226, 284
--- ---, heat, to almond 377; tobacco 248
--- ---, lightning, to tomato 240
--- ---, wet weather, 384; to corn 317; cotton 292; pepper 262; potato 297; wheat 307
--- ---, wind, to cucumber 263
--- ---, winter, to alfalfa 203, 340; apple 205, 227; apricot 365; cherry 205, 341, 365, 366; fruit crops 403; hops 395; peach 141, 163; peppermint 199; raspberry 183, 228, 349; strawberry 215
Wheat: anthracnose 167; bacterial leaf blight and black chaff 215, 225, 300, 307, 311; black point 214; bunt 167, 180, 192, 204, 215, 225, 300, 307, 311, 322, 340, 343, 348, 362, 369, 377, dwarf bunt 362; ergot 214, 307; foot rot see root rot; Fusarium 215; Gibberella 310, 377, see also scab; glume blotch 140, 167, 180; head blight 307, 310, see also scab; Helminthosporium 204, 214, 215, 307, 310, 322, 343, 348; leaf rust intensity and destructiveness,

(Wheat, leaf rust), methods of appraising, 99; occurrence 140, 167, 180, 192, 198, 204, 215, 225, 242, 279, 299, 307, 311, 317, 322, 334, 340, 343, 348, 377, review of Russian work 99; loose smut 167, 180, 192, 204, 215, 225, 242, 279, 300, 322, 334, 343, 348; mosaic (virus) 180; powdery mildew 167, 334, 343, 348, 362; root necrosis (Pythium) 225, 299; root and foot rots 180, 204, 215, 307, 310, 322, 343, 348, 377; rust losses in Russia 117; scab 140, 167, 171, 179, 191, 198, 305, 307, 310; seedling blights 215, 310; smut unspecified 348; snow rot (Typhula) 362; speckled leaf blotch 180, 215, 225, 279, 300, 311, 334, 348; stem rust 167, 180, 192, 198, 204, 210, 215, 224, 235, 242, 299, 307, 311, 322, 334, 340, 348, 350, 362, 369, 377; take-all 377; wet weather injury 307
White spot, non-par., of alfalfa, 353
White tip, non-par., of rice, 282, 287
Wilt, undet., of cantaloup 391; eggplant 393; watermelon 391
Wilting disease, undet. (? virus), of cherry, 365, 366
Wood decay fungi, on apricot, 365

Xanthium: Erysiphe 276; Puccinia 276
Xanthomonas spp., on bean 211
--- begoniae, 350, 382
--- campestris, 128, 129, 145, 152, 158, 165, 172, 199, 200, 210, 211, 218, 233, 259, 262, 276, 277, 280, 305, 327, 351
(Xanthomonas) carotae, 219, 373
---gummisudans, 208
---holcicola, 288, 312, 314 322, 353
---juglandis 379
--- malvacearum, 237, 261, 280, 283, 293, 302, 326, 336, 354
--- pelargonii, 382
--- phaseoli, 135, 147, 154, 166, 176, 188, 189, 197, 201, 220, 240, 251, 260, 277, 281, 289, 297, 305, 309, 319, 320, 331, 339, 342, 346, 352, 358
--- --- var. sojense, see soybean, bacterial pustule
--- pisi, 346
--- pruni, 141, 163, 168, 169 181, 182, 194, 206, 226, 227, 246, 252, 290, 301, 302, 323, 334, 335
--- translucens, 210, 213, 221, 222, 223, 310, 340
--- --- f. sp. secalis, 223, 310, 353
--- --- f. sp. undulosa, 215, 225, 300, 307, 311
--- vesicatoria, 129, 153, 158, 172, 175, 186, 200, 219, 259, 277, 281, 296, 309, 327
--- vignicola, 289, 322, 334
Xylaria mali, 236, 243

Yellows, of alfalfa (leafhopper) 203; strawberry (genetic) 341. For virus yellows see under virus etc.

Zantedeschia: bacterial soft rot 383; Phytophthora root rot 383; spotted wilt (virus) 383
Zinnia: aster yellows (virus) 395, 424; powdery mildew 351, 383; Sclerotinia 395; spotted wilt (virus) 383

ERRATA

On page 147, under Solanum tuberosum, Ditylenchus dipsaci and its synonym should be deleted. Heterodera rostochiensis is the nematode referred to in the report and this name should be substituted.

On page 232, in the table of contents, Arthur S. Rhoads should be cited as the author of the Florida report, instead of G. M. Stone as given.

Johnson